

A Model of Competing Narratives: Correction of the Proof of Claim 2*

Kfir Eliaz and Ran Spiegler

June 9, 2022

This note corrects and improves the proof of Claim 2 in Section 5 of our paper “A model of competing narratives” (*AER* 2020). The last part of the original proof contained a few errors.

To simplify exposition, we consider the $\varepsilon \rightarrow 0$ limit and thus effectively set $\varepsilon = 0$ throughout the proof. (In principle, it would have been more rigorous to carry ε through the steps and take the $\varepsilon \rightarrow 0$ limit after the relevant expressions are derived. This would lead to the same result.)

Let σ be an equilibrium, and use the shorthand notation $\alpha_\theta = \alpha_\theta(\sigma)$. Let us calculate $p_G(y = 1 \mid a, \theta)$ for each of the four available narratives:

$$\begin{aligned} p_{GRE}(y = 1 \mid a, \theta) &= p(y = 1 \mid a, \theta) = \frac{1}{2}(a + \theta) \\ p_{GN}(y = 1 \mid a, \theta) &= p(y = 1) = \frac{1}{2}[\delta(1 + \alpha_1) + (1 - \delta)\alpha_0] \\ p_{GD}(y = 1 \mid a, \theta) &= p(y = 1 \mid \theta) = \frac{1}{2}(\alpha_\theta + \theta) \\ p_{GE}(y = 1 \mid a, \theta) &= p(y = 1 \mid a) = \frac{1}{2}[a + p(\theta = 1 \mid a)] \end{aligned}$$

where

$$\begin{aligned} p(\theta = 1 \mid a = 1) &= \frac{\delta\alpha_1}{\delta\alpha_1 + (1 - \delta)\alpha_0} \\ p(\theta = 1 \mid a = 0) &= \frac{\delta(1 - \alpha_1)}{\delta(1 - \alpha_1) + (1 - \delta)(1 - \alpha_0)} \end{aligned}$$

*We thank Toby Yu for spotting an error in the original proof. We also thank Tuval Danenberg for helpful comments on this new proof.

It follows that the net anticipatory utility induced by a policy d coupled with any of the four narratives is:

$$\begin{aligned}
U(G^{RE}, d \mid \theta) &= \frac{1}{2}\theta + \frac{1}{2}d - C(d) \\
U(G^n, d \mid \theta) &= \frac{1}{2}[\delta(1 + \alpha_1) + (1 - \delta)\alpha_0] - C(d) \\
U(G^d, d \mid \theta) &= \frac{1}{2}(\alpha_\theta + \theta) - C(d) \\
U(G^e, d \mid \theta) &= \frac{1}{2}d - C(d) + \frac{1}{2} \left[\frac{\delta\alpha_1 d}{\delta\alpha_1 + (1 - \delta)\alpha_0} + \frac{\delta(1 - \alpha_1)(1 - d)}{\delta(1 - \alpha_1) + (1 - \delta)(1 - \alpha_0)} \right]
\end{aligned}$$

Let us begin with a few preliminary observations regarding the policies that must accompany each of the four possible narratives in any equilibrium. First, the policy that maximizes net anticipatory utility under G^d or G^n is $d^* = 0$. Therefore, if any of these narratives prevails in some state, it must be coupled with $d = 0$. Second, the policy that maximizes net anticipatory utility under G^{RE} is by definition d^{RE} . Therefore, if this narrative prevails in some state, it must be coupled with d^{RE} . Finally, as to the narrative G^e , note that the term

$$\frac{\delta\alpha_1 d}{\delta\alpha_1 + (1 - \delta)\alpha_0} + \frac{\delta(1 - \alpha_1)(1 - d)}{\delta(1 - \alpha_1) + (1 - \delta)(1 - \alpha_0)} \quad (1)$$

is strictly increasing (decreasing) in d whenever $\alpha_1 > \alpha_0$ ($\alpha_1 < \alpha_0$). It follows that the policy d^e that maximizes net anticipatory utility under G^e satisfies $d^e > d^{RE}$ ($d^e < d^{RE}$) whenever $\alpha_1 > \alpha_0$ ($\alpha_1 < \alpha_0$). Since $C'(1) > 1$, d^{RE} and d^e are both strictly below 1. Therefore, $\alpha_\theta < 1$ for all θ .

We now characterize the equilibrium distribution in each state. First, consider the realization $\theta = 1$. Then,

$$U(G^{RE}, d^{RE} \mid \theta = 1) = \frac{1}{2}(1 + d^{RE}) - C(d^{RE}) = \frac{1}{2} + \max_d \left[\frac{1}{2}d - C(d) \right] > \frac{1}{2}$$

For any $\alpha_0, \alpha_1 \in [0, 1]$ and $d \in [0, 1]$,

$$\frac{\delta\alpha_1 d}{\delta\alpha_1 + (1 - \delta)\alpha_0} + \frac{\delta(1 - \alpha_1)(1 - d)}{\delta(1 - \alpha_1) + (1 - \delta)(1 - \alpha_0)} < 1 \quad (2)$$

Therefore,

$$U(G^e, d \mid \theta = 1) < U(G^{RE}, d \mid \theta = 1)$$

for any $d \in [0, 1)$, and hence, G^e cannot be a prevailing narrative in $\theta = 1$. In addition, a simple calculation establishes that

$$U(G^d, 0 \mid \theta = 1) > U(G^n, 0 \mid \theta = 1)$$

Therefore, G^n cannot be a prevailing narrative in $\theta = 1$. It follows that the only candidates for prevailing narratives in $\theta = 1$ are G^{RE} and G^d .

Suppose $Supp(\sigma_1) = \{(G^d, 0)\}$. Then, $\alpha_1 = 0$, which implies

$$U(G^d, 0 \mid \theta = 1) = \frac{1}{2} < U(G^{RE}, d^{RE} \mid \theta = 1)$$

a contradiction. Now suppose $Supp(\sigma_1) = \{(G^{RE}, d^{RE})\}$. Then, $\alpha_1 = d^{RE}$, in which case

$$U(G^d, 0 \mid \theta = 1) = \frac{1}{2}(d^{RE} + 1) > U(G^{RE}, d^{RE} \mid \theta = 1)$$

a contradiction. The only remaining case is that $Supp(\sigma_1) = \{(G^d, 0), (G^{RE}, d^{RE})\}$. Then,

$$U(G^{RE}, d^{RE} \mid \theta = 1) = U(G^d, 0 \mid \theta = 1)$$

which implies

$$\alpha_1 = d^{RE} - 2C(d^{RE}) \tag{3}$$

This completes the characterization of σ_1 . Note that it is independent of σ_0 .

Next, consider the realization $\theta = 0$. For any d ,

$$U(G^e, d \mid \theta = 0) - U(G^{RE}, d \mid \theta = 0) = \frac{1}{2} \left[\frac{\delta \alpha_1 d}{\delta \alpha_1 + (1 - \delta) \alpha_0} + \frac{\delta(1 - \alpha_1)(1 - d)}{\delta(1 - \alpha_1) + (1 - \delta)(1 - \alpha_0)} \right]$$

which is strictly positive since $\alpha_1 \in (0, 1)$. Therefore, G^{RE} cannot be a prevailing narrative in $\theta = 0$. Likewise,

$$U(G^n, 0 \mid \theta = 0) > U(G^d, 0 \mid \theta = 0)$$

and hence, G^d cannot be a prevailing narrative in $\theta = 0$. It follows that the only candidates for prevailing narratives in $\theta = 1$ are G^e and G^n .

Let us guess an equilibrium in which $\alpha_0 = \alpha_1$. Then,

$$U(G^e, d \mid \theta = 0) = \frac{1}{2}d - C(d) + \frac{1}{2}\delta$$

and the policy that maximizes it is $d^e = d^{RE}$. Thus, plugging (3), we obtain

$$\begin{aligned} U(G^e, d^e \mid \theta = 0) &= \frac{1}{2}d^{RE} - C(d^{RE}) + \frac{1}{2}\delta = \frac{1}{2}\alpha_1 + \frac{1}{2}\delta \\ U(G^n, 0 \mid \theta = 0) &= \frac{1}{2}[\delta(1 + \alpha_1) + (1 - \delta)\alpha_1] = \frac{1}{2}\alpha_1 + \frac{1}{2}\delta \end{aligned}$$

which is consistent with $\alpha_0 \in (0, 1)$.

Our final task is to show that there exists no equilibrium with $\alpha_0 \neq \alpha_1$. Suppose first that $\alpha_1 > \alpha_0$. We saw above that in this case, $d^e > d^{RE}$, hence $d^e > \alpha_1$. If $(G^n, 0) \notin \text{Supp}(\sigma_0)$, then $\alpha_0 = d^e > \alpha_1$, a contradiction. If $(G^n, 0) \in \text{Supp}(\sigma_0)$, then

$$U(G^e, d^e \mid \theta = 0) = U(G^n, 0 \mid \theta = 0) = \frac{1}{2}[\delta(1 + \alpha_1) + (1 - \delta)\alpha_0] < \frac{1}{2}(\alpha_1 + \delta) \quad (4)$$

Note that

$$\begin{aligned} U(G^e, d^e \mid \theta = 0) &\geq U(G^e, d^{RE} \mid \theta = 0) \\ &= \frac{1}{2}d^{RE} - C(d^{RE}) + \frac{1}{2}\delta \left[\frac{\alpha_1 d^{RE}}{\delta\alpha_1 + (1 - \delta)\alpha_0} + \frac{(1 - \alpha_1)(1 - d^{RE})}{1 - \delta\alpha_1 - (1 - \delta)\alpha_0} \right] \end{aligned}$$

By (3), this expression is equal to

$$\frac{1}{2}\alpha_1 + \frac{1}{2}\delta \left[\frac{\alpha_1 d^{RE}}{\delta\alpha_1 + (1 - \delta)\alpha_0} + \frac{(1 - \alpha_1)(1 - d^{RE})}{1 - \delta\alpha_1 - (1 - \delta)\alpha_0} \right] \quad (5)$$

Recall that by (3), $\alpha_1 < d^{RE}$. Replacing d^{RE} with α_1 in (5) and using the observation that (1) is strictly increasing in d when $\alpha_1 > \alpha_0$, (5) is strictly above

$$\frac{1}{2}\alpha_1 + \frac{1}{2}\delta \left[\frac{\alpha_1^2}{\delta\alpha_1 + (1 - \delta)\alpha_0} + \frac{(1 - \alpha_1)^2}{1 - \delta\alpha_1 - (1 - \delta)\alpha_0} \right]$$

A little algebra establishes that since $\alpha_1 > \alpha_0$,

$$\frac{\alpha_1^2}{\delta\alpha_1 + (1 - \delta)\alpha_0} + \frac{(1 - \alpha_1)^2}{1 - \delta\alpha_1 - (1 - \delta)\alpha_0} > 1$$

we obtain

$$U(G^e, d^e \mid \theta = 0) > \frac{1}{2}(\alpha_1 + \delta)$$

contradicting (4).

The remaining possibility is that $\alpha_0 > \alpha_1$. We saw that in this case,

$d^{RE} > d^e$. Furthermore, since $d^n = 0$, $d^e \geq \alpha_0$. Therefore, $d^{RE} > \alpha_0 > \alpha_1$. If $(G^e, d^e) \notin \text{Supp}(\sigma_0)$, then $\alpha_0 = d^n = 0$, a contradiction. It follows that $(G^e, d^e) \in \text{Supp}(\sigma_0)$, which means that

$$U(G^e, d^e \mid \theta = 0) \geq U(G^n, 0 \mid \theta = 0) > \frac{1}{2}(\alpha_1 + \delta) \quad (6)$$

where the right-hand inequality follows from $\alpha_0 > \alpha_1$. Now turn to the expression

$$U(G^e, d^e \mid \theta = 0) = \frac{1}{2}d^e - C(d^e) + \frac{1}{2}\delta \left[\frac{\alpha_1 d^e}{\delta\alpha_1 + (1-\delta)\alpha_0} + \frac{(1-\alpha_1)(1-d^e)}{1-\delta\alpha_1 - (1-\delta)\alpha_0} \right]$$

By the definition of d^{RE} and (3),

$$\frac{1}{2}d^e - C(d^e) < \frac{1}{2}d^{RE} - C(d^{RE}) = \frac{1}{2}\alpha_1$$

A little algebra establishes that

$$\frac{\alpha_1 d^e}{\delta\alpha_1 + (1-\delta)\alpha_0} + \frac{(1-\alpha_1)(1-d^e)}{1-\delta\alpha_1 - (1-\delta)\alpha_0} \leq 1$$

since

$$d^e \geq \alpha_0 > \delta\alpha_1 + (1-\delta)\alpha_0$$

It follows that

$$U(G^e, d^e \mid \theta = 0) < \frac{1}{2}(\alpha_1 + \delta)$$

contradicting (6).