

Social Discounting and Intergenerational Pareto

Tangren Feng* Shaowei Ke^{†‡}

First Draft: January 12, 2017

This Draft: January 3, 2018

Abstract

The most critical issue in evaluating policies and projects that affect generations of individuals is the choice of social discount rate. This paper shows that there exist social discount rates such that the planner can simultaneously be (i) an exponential discounting expected utility maximizer; (ii) intergenerationally Pareto—i.e., if all individuals from all generations prefer one policy/project to another, the planner agrees; and (iii) strongly non-dictatorial—i.e., no individual from any generation is ignored. Moreover, to satisfy (i)–(iii), if the time horizon is long enough, it is generically sufficient and necessary for social discounting to be more patient than the most patient individual’s long-run discounting, independent of the social risk attitude.

1 Introduction

Many economic decisions are inherently dynamic and affect multiple generations, such as corporate and household long-term investment decisions, intertemporal taxation, durable

*Department of Economics, University of Michigan. Email: tangren@umich.edu.

†Department of Economics, University of Michigan. Email: shaoweik@umich.edu.

‡The authors thank Tilman Börgers, Christopher Chambers, Caicai Chen, Federico Echenique, Andrew Ellis, Srihari Govindan, Marina Halac, John Leahy, Yusufcan Masatlioglu, Sujoy Mukerji, Luciano Pomatto, Debraj Ray, Marciano Siniscalchi, Joel Sobel, Jianrong Tian, and Chen Zhao for helpful comments.

public good provision, environmental policies, etc. These decisions crucially depend on one parameter, the *social discount rate*, which encapsulates the trade-off between current benefit and future benefit from the society's point of view. Unfortunately, there is no consensus on which social discount rate should be used. This disagreement has led to a debate, for example, about the cost-benefit analysis of environmental projects that affect many, if not all, future generations, and the evaluation of those projects is sensitive to the choice of social discount rate. The famous Stern review uses a near-zero social discount rate (pure rate of time preference), and suggests that we should take strong and immediate actions on the climate change (see Stern (2007)).¹ Nordhaus (2007) argues that Stern's conclusion no longer holds if a market rate is used instead. Many economists, however, believe that using a high discount rate (such as the market rate) is ethically indefensible.

In the social discounting literature, some economists have argued that social discounting should be more patient than individual discounting (for example, see Caplin and Leahy (2004) and Farhi and Werning (2007)). The idea is that if social discounting takes into account how future generations will feel about their consumption, then because future generations will value future consumption relatively more than the current generation values future consumption, social discounting will also value future consumption more than the current generation does.² However, these studies usually assume that only one (representative) individual is in the society. How their insight carries over to a society with heterogeneous individuals—and which individual's discounting social discounting should be more patient than—remains unanswered.

Let us explain what will go wrong with heterogeneous individuals. Note that what is common among these dynamic economic decisions is that there is a benevolent planner who needs to make choices for generations of individuals, and, as in environmental projects and

¹The consumption discount rate derived from the Ramsey formula used in the Stern review depends on the pure rate of time preference, the elasticity of the marginal utility of consumption, and the growth rate of per-capita consumption.

²Some economists have also argued that individuals' altruistic discounting for future generations should be excluded from the planner's aggregation. See Hammond (1987), Mirrlees (2007), and Boadway (2012).

many other examples, payoff uncertainty is usually involved. In such a setting, first, economists often assume that the planner’s objective is an *exponential discounting expected utility function*. This assumption is widely used and is normatively appealing because it is equivalent to assuming that the planner’s preference is time-consistent, time-invariant, and stationary.³ Second, it is often assumed that a benevolent planner respects individuals’ preferences. In other words, some notion of the *Pareto* property should hold: If “all” individuals agree that one project is better than another, the planner should agree that the former is better.

Despite the fact that these two assumptions are fundamental to economics, economists have established that these two assumptions cannot be satisfied simultaneously (see Gollier and Zeckhauser (2005), Zuber (2011), and Jackson and Yariv (2015)). Even if every individual has an exponential discounting utility function, a planner has to be dictatorial to ensure that her exponential discounting utility function satisfies some Pareto property. The negative result also raises a challenge to the conclusion that social discounting should be more patient than individual discounting. In light of the negative result, with heterogeneous individuals, perhaps we can only conclude that the planner is more patient than the only individual (dictator) she cares about?

This paper addresses these issues using a classic approach. We introduce a new Pareto property, and characterize the range of (pure-time-preference) social discount rates that are compatible with the new Pareto property. In models that generate the negative result, there is often only one generation of individuals. The Pareto property that they use, which we call *current-generation Pareto*, is the key to the negative result. Current-generation Pareto requires that whenever a consumption sequence \mathbf{p} is preferred to another sequence \mathbf{q} by every current-generation individual, then the planner prefers \mathbf{p} to \mathbf{q} . In many problems that we are interested in, especially the environmental projects, multiple generations of individuals are involved. To determine the social discount rate, it seems natural that the planner should

³A version of the definition of time consistency, time invariance, and stationarity can be found in Halevy (2015). Under the assumption that the utility function is a time-additively separable expected utility function, Halevy’s version of the three properties are equivalent to assuming an exponential discounting expected utility function.

not only respect how the current generation discounts the future, but also care about the actual well-being of future generations; that is, how future generations will feel about their consumption and how they will discount the future. The Pareto property that we introduce, *intergenerational Pareto*, captures this. It requires that whenever a consumption sequence \mathbf{p} is preferred to \mathbf{q} by every individual from every generation, then the planner prefers \mathbf{p} to \mathbf{q} .

Specifically, each generation- t individual i lives for one period, and has an arbitrary discount function $\delta_i(\tau - t)$ to discount the τ^{th} period consumption.⁴ The planner is intergenerationally Pareto and has an exponential discounting utility function. To contrast with the negative result, we require the planner to be *strongly non-dictatorial* in the sense that she never ignores the preference of any individual from any generation. Under these assumptions, we show how the range of social discount rates depends on (a) individual relative discounting, average discounting, and long-run discounting, and (b) the linear dependency of individual instantaneous utility functions.

We first examine a benchmark case in which the time horizon is finite and individuals share the same instantaneous utility function. This allows us to focus on aggregating discount functions. We show that there exist two cutoffs for the social discount factor.⁵ One is the lowest (across individuals) maximal (across time) relative discount factor, $\min_i \max_\tau \frac{\delta_i(\tau+1)}{\delta_i(\tau)}$, and the other is the lowest (across individuals) asymptotic average discount factor, $\min_i \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_i(\tau)}$. If the social discount factor is above the first cutoff, we show that the planner must be intergenerationally Pareto and strongly non-dictatorial. Thus, we can avoid the negative result even when individuals have arbitrary discount functions. Moreover, checking whether a planner's utility function is compatible with the Pareto property is generally difficult, but this result provides an easy way to do it. Conversely, if the social discount factor is below the second cutoff, we show that the planner must violate intergenerational Pareto as long as the time horizon is long enough; that is, there exist two

⁴Each individual *altruistically* cares about the future generations' consumption, as is the case when we think about environmental projects. Also note that individual discount functions in Zuber (2011) and Jackson and Yariv (2014, 2015) are exponential. We do not make this assumption.

⁵The discount rate is equal to one minus the discount factor.

consumption sequences such that every individual from every generation thinks that one is better than the other but the planner disagrees. We provide examples to show that these two cutoffs are tight.

The two cutoffs merge into one cutoff when individuals exhibit *present bias*. The unique cutoff is equal to the *least patient* individual's *long-run discount factor*, in which each individual i 's long-run discount factor is defined to be the asymptotic relative discount factor and the asymptotic average discount factor.

Since the least patient individual's long-run discount factor could be quite low, the benchmark case does not say much about which social discount factor is reasonable. Our main result (Theorem 2) shows that if we do not assume that individuals have identical instantaneous utility functions, the result will be rather different. Generically, individual instantaneous utility functions are linearly independent in the functional space. We show that if individual instantaneous utility functions are linearly independent, the cutoff for the social discount factor jumps to the *most patient* individual's long-run discount factor, independent of the planner's choice of instantaneous utility function. This result thus supports the use of a near-zero social discount rate.

We show how the cutoff for the social discount factor changes gradually from the least patient individual's long-run discount factor to the most patient, as the number of types of individual instantaneous utility functions increases. If there is only one type, we are in the benchmark case. As the number of types increases, the cutoff moves to the most patient individual's long-run discount factor.

Lastly, we show that our main result continues to hold if the time horizon is infinite.

1.1 Related Literature

This paper is not the first to aggregate preferences of multiple generations of individuals. Indeed, there is a long debate on whether future generations should be aggregated. For example, among others, Ramsey (1928), Pigou (1920), Sen (1961), Feldstein (1964), Solow

(1974), Arrow (1999), Caplin and Leahy (2004), and Farhi and Werning (2007) are in favor. On the other hand, among others, Eckstein (1957), Bain (1960), and Marglin (1963) believe that the government's or the policy maker's decision should only reflect the preferences of present individuals. Our approach is closer to Caplin and Leahy and Farhi and Werning, both of whom show that assuming that there is only one individual in each generation, social discounting should be more patient than the only individual's discounting. Our results show that having multiple heterogeneous individuals in each generation makes an important difference.

Many papers have analyzed aggregation of one generation of heterogeneous individuals. Weitzman (2001) conducts a survey on economists' discount rates to motivate a gamma discounting model. Gollier and Zeckhauser (2005) study a dynamic efficient allocation problem with heterogeneous individuals and show that even when individuals have constant discount rates, the representative agent has a decreasing discount rate. Zuber (2011) establishes that a planner cannot have an exponential discounting utility function and be (current-generation) Pareto when individuals have private consumption. Jackson and Yariv (2015) present a similar negative result in which consumption is public. Millner and Heal (2017) show that the negative result goes away if we only require the planner's objective to be time-consistent. A key difference between these papers and ours is that they aggregate only one generation of individuals, whereas ours aggregates multiple generations. This distinction is important in economic decisions that have long-term impact, such as environmental policies.

Most of the studies discussed above assume that individuals have exponential discounting functions. It is well known that individuals are often time-inconsistent (see Strotz (1955), Laibson (1997), and Frederick et al. (2002), among others). Hence, it is important to understand whether the results continue to hold when we allow individuals to have more general discount functions.

There are other approaches to study social discounting. Our paper emphasizes the relation between social discounting and individual discounting implied by the intergenerational

Pareto property. Chambers and Echenique (2017) study three models on discount rates. In the first, they characterize when a sequence of utility is always preferred to another sequence, for any discount rate between zero and one. The second model is similar to Weitzman (2001), Zuber (2011), and Jackson and Yariv (2014, 2015): The aggregate discount function is a weighted average of a set of exponential discount functions. In the last model, in order to discount a sequence of utility, the aggregate preference selects from a set of discount rates the most pessimistic one. Millner (2016) shows that if heterogeneous individuals are not fully paternalistic, they will agree on parameters of the long-run social discount rate. Zuber and Asheim (2012), Asheim and Zuber (2014), Fleurbaey and Zuber (2015), and Piacquadio (2017) study models in which social discounting is due to intergenerational inequality aversion. Those models do not use the information on how individuals discount the future. Jonsson and Voorneveld (2017) study a welfare criterion for multiple generations. Each generation has one individual. In the limit of the criterion, different generations are treated equally. In the first part of Drugeon and Wigniolle (2017), they characterize what exponential discounting utility functions can be written as weighted sums of the current self's and future selves' quasi-hyperbolic discounting utility functions, which is similar to a special case of our Theorem 4 or Proposition 4 and to a related result in Galperti and Strulovici (2017).

Our paper is also related to Mongin (1998). Mongin establishes that under a standard form of the Pareto property, as long as the individuals' subjective probabilities are linearly independent or their instantaneous utility functions are affinely independent, the planner has to be dictatorial. Similar results can be found in Mongin (1995) and Chambers and Hayashi (2006). In our model, if we view each period as a state, and discount factors as subjective probabilities, then Mongin's result seems to apply to our case. However, our planner is not dictatorial. The technical reason why our Theorem 1 can bypass Mongin's negative result is the assumption that all individuals share the same instantaneous utility function. As for Theorem 2, we first aggregate individual utility functions with identical instantaneous utility functions into a utility function whose discount factor is equal to the social discount factor.

Then, we aggregate utility functions with identical discount factors (subjective probabilities). Both steps bypass Mongin’s negative result.

Lastly, related to the preference aggregation literature, our Lemma 2 extends Harsanyi’s (1955) theorem and Zhou (1997) to the case with countably infinitely many individuals. Zhou shows that Pareto and utilitarianism are equivalent when the set of individuals is compact.

The paper proceeds as follows. In Sections 2 and 3, we describe individuals’ and the planner’s preferences. We then introduce a variant of the negative result and intergenerational Pareto. Section 4 studies the benchmark case, in which we characterize the range of social discount factors that are compatible with intergenerational Pareto. Our main results in Section 5 shows how individual instantaneous utility functions interact with social discounting. Section 6 studies the infinite-horizon case. Section 7 concludes.

2 Preferences

There are $2 < T \leq +\infty$ generations/periods. In each generation, $N < +\infty$ individuals live for one period. With an abuse of notation, we use $N := \{1, \dots, N\}$ and $T := \{1, \dots, T\}$ to denote the set of individuals and the set of time periods, respectively. The generation- t individual i is the parent of the generation- $(t + 1)$ individual i . In each period, there is a public risky consumption good.⁶ The set of consumption goods is $\Delta(X)$, in which $\Delta(X)$ is set of probability measures on a compact set $X \subset \mathbb{R}^m$. A typical consumption sequence is denoted by $\mathbf{p} = (p_1, \dots, p_T) \in \Delta(X)^T$.⁷

Each generation- t individual i has a preference $\succsim_{i,t}$ over the consumption sequences ($t \in T$ and $i \in N$). As is the case when we think about environmental policies, each individual *altruistically* cares about the future generations’ consumption. We assume throughout the

⁶All results we derive apply to the case in which each individual has his own consumption. We only need to view the public consumption as an N -tuple of individual consumption, and let each individual care only about his own component.

⁷We discuss what may change if we allow uncertainty to resolve over time in Section B in the Supplemental Material.

paper that the generation- t individual i has the following *discounting utility* function,

$$U_{i,t}(\mathbf{p}) = \sum_{\tau=t}^T \delta_i(\tau - t) u_i(p_\tau), \quad (1)$$

in which $\delta_i : \{0, \dots, T - 1\} \rightarrow \mathbb{R}_{++}$ with $\delta_i(0) = 1$ is called the *discount function*, and the *instantaneous utility function* $u_i : \Delta(X) \rightarrow \mathbb{R}$ is a continuous expected utility function. When $T = +\infty$, we require $(\delta_i(\tau))_{\tau=0}^\infty$ to be an absolutely summable sequence (in ℓ^1). The well-known exponential, hyperbolic, and quasi-hyperbolic discounting utility functions are special cases of (1).

It is common to assume that $U_{i,t}(\mathbf{p})$ does not depend on past consumption. When a generation- t individual comes into existence, the past is sunk; that is, comparing \mathbf{p} and \mathbf{q} from his point of view is the same as comparing (p_t, \dots, p_T) and (q_t, \dots, q_T) . This also means that there is no revealed-preference foundation for utility over past consumption.⁸

We have also assumed that the generation- $(t + 1)$ individual i inherits the generation- t individual i 's discount function and instantaneous utility function. This assumption does not imply that a parent and his offspring have the same preference, because the generation- $(t + 1)$ individuals' discount functions are shifted one period forward. This assumption simplifies our analysis and can be relaxed (see Section E.1 in the Supplemental Material).

In each period $t \in T$, the planner has a preference \succsim_t over the consumption sequences. As in most dynamic models, we assume that the planner's objective is an exponential discounting expected utility function; that is, in each period t , the planner has a utility function of the following form:

$$U_t(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u(p_\tau), \quad (2)$$

in which $\delta > 0$ is the *social discount factor* and u , a continuous expected utility function on $\Delta(X)$, is the planner's instantaneous utility function. When $T = +\infty$, we require $\delta < 1$.

⁸However, see Caplin and Leahy (2004) and Ray et al. (2017) for models that allow for backward discounting for past consumption. In the Supplemental Material, we show that our results continue to hold when individuals have exponential forward and backward discounting.

It is well known that if the planner’s objective is a discounting utility function $U_t(\mathbf{p}) = \sum_{\tau=t}^T \delta(\tau-t)u(p_\tau)$, the planner is time-consistent if and only if the planner’s discount function is exponential.⁹ More generally, (2) holds if and only if the planner’s preference is time-consistent, time-invariant, and stationary (see footnote 3). Note that the above equation holds for every $t \in T$; that is, the social discount factor and the planner’s instantaneous utility function never change.

Lastly, to rule out uninteresting cases and simplify the statement of our results, we assume that there are some fixed consequences $x_*, x^* \in X$ such that $u_i(x_*) = u(x_*) = 0$ and $u_i(x^*) = u(x^*) = 1$ for any $i \in N$ throughout the paper. A similar assumption called the minimum agreement condition also appears in De Meyer and Mongin (1995). Our main findings do not rely on this assumption, and we provide a more detailed discussion below Lemma 1.¹⁰ More generally, for any continuous expected utility function v defined on $\Delta(X)$, we say that it is *normalized* if $v(x^*) = 1$ and $v(x_*) = 0$. One may think of x^* as the best consumption good and x_* as the worst, or x^* as one dollar and x_* as zero dollars.

3 Intergenerational Pareto

We want to assume that the planner’s preference $(\succsim_t)_{t \in T}$ satisfies some Pareto property. In a dynamic setting, however, there are multiple ways to define the Pareto property. Different notions of Pareto lead to different results. For example, Zuber (2011) and Jackson and Yariv (2015) show that if a planner has an exponential discounting utility function and follows their Pareto property, the planner must be dictatorial. To motivate our new Pareto property, it is useful to first understand the negative result. Below, we introduce a version of the negative result.

⁹Since individuals only live for one period, time consistency may have a non-standard interpretation for them. In contrast, the planner is a long-lived entity who tries to stick to an objective function that exhibits nice properties. The interpretation of time consistency for the planner is similar to the standard one.

¹⁰In Section E.1 in the Supplemental Material, when we allow the the instantaneous utility function to depend on time, the normalization assumption will play a more important role. In that case, because expected utility functions are unique up to positive affine transformations, we cannot pin down the discount function without some type of normalization assumption.

3.1 A Variant of the Negative Result

Below is a variant of the Pareto property used by Zuber (2011) and Jackson and Yariv (2015) that fits into our setting.

Definition 1 *The planner's preference $(\succsim_t)_{t \in T}$ is current-generation Pareto if for any consumption sequences $\mathbf{p}, \mathbf{q} \in \Delta(X)^T$, in each period $t \in T$, $\mathbf{p} \succsim_{i,t} \mathbf{q}$ for all $i \in N$ implies $\mathbf{p} \succsim_t \mathbf{q}$, and $\mathbf{p} \succ_{i,t} \mathbf{q}$ for all $i \in N$ implies $\mathbf{p} \succ_t \mathbf{q}$.*

This notion of the Pareto property says that in any period t , if all current-generation individuals agree that a consumption sequence \mathbf{p} is preferred to another sequence \mathbf{q} , then the planner should agree that $\mathbf{p} \succsim_t \mathbf{q}$. The same applies when the preferences are all strict.

Consider a simple situation in which every generation- t individual i has an exponential discounting utility function. The generation- t individual i has an *exponential discounting utility* (EDU) function if $\delta_i(\tau) = \delta_i^\tau$ for some discount factor $\delta_i > 0$; that is,

$$U_{i,t}(\mathbf{p}) = \sum_{\tau=t}^T \delta_i^{\tau-t} u_i(p_\tau).$$

When $T = +\infty$, we require $\delta_i < 1$. Let us present below a variant of the negative result.

Proposition 1 *Suppose each generation- t individual i has an EDU function with discount factor δ_i and instantaneous utility function u_i . For a generic N -tuple of discount factors $(\delta_i)_{i \in N}$, the planner is current-generation Pareto if and only if for each $t \in T$, there exists a unique $i \in N$ such that $U_t = U_{i,t}$.*

The result says that if we require the planner to be current-generation Pareto and have an exponential discounting expected utility function, the planner's preference has to be identical to exactly one individual's preference. Since the consumption is public, our setting is closer to Jackson and Yariv (2015). However, Jackson and Yariv's result is still different from the above proposition; they require instantaneous utility functions to be defined on a one-

dimensional space and be twice continuously differentiable. We only require the individual discount factors to be generic.

The intuition is as follows. First of all, the planner is current-generation Pareto if and only if her discounting utility function is equal to a weighted sum of the individuals' EDU functions. This is an implication of Harsanyi (1955). Next, for simplicity, suppose there are only two individuals with identical instantaneous utility functions $u_1 = u_2$. The planner attaches a weight ω to the first individual and $1 - \omega$ to the second individual. Now, for the planner to not be dictatorial, there must be some $\omega \in (0, 1)$ and $\delta > 0$ such that

$$\omega\delta_1 + (1 - \omega)\delta_2 = \delta,$$

and

$$\omega\delta_1^2 + (1 - \omega)\delta_2^2 = \delta^2.$$

However, one cannot find such a δ , unless $\omega = 0$ or 1 .

3.2 Intergenerational Pareto

The key feature of environmental projects and many other economic policies is that the decisions affect multiple generations. Current-generation Pareto only takes into account the preferences of the current generation. The current generation does altruistically care about future consumption, and there are reasons why we want the planner to respect how individuals discount the future. However, how the current generation thinks about the future may well differ from how future generations will think. Since future generations will be affected by the planner's decision, the planner should take into account their actual well-being, including how they will discount their future. The following Pareto property captures these ideas.

Definition 2 *The planner's preference $(\succsim_t)_{t \in T}$ is intergenerationally Pareto if for any consumption sequences $\mathbf{p}, \mathbf{q} \in \Delta(X)^T$, in each period $t \in T$, $\mathbf{p} \succsim_{i,s} \mathbf{q}$ for all $i \in N$ and all $s \geq t$*

implies $\mathbf{p} \succsim_t \mathbf{q}$, and $\mathbf{p} \succ_{i,s} \mathbf{q}$ for all $i \in N$ and all $s \geq t$ implies $\mathbf{p} \succ_t \mathbf{q}$.

Intergenerational Pareto says that in any period t , if all current- and future-generation individuals agree that a consumption sequence \mathbf{p} is preferred to another sequence \mathbf{q} , then the planner should agree that $\mathbf{p} \succsim_t \mathbf{q}$. For example, suppose all current-generation individuals are extremely selfish: They are willing to sacrifice the environment in order to increase their own consumption. If the planner is current-generation Pareto, the planner must agree with them, and let them destroy the environment. However, if the planner is intergenerationally Pareto, the planner is allowed to disagree with them, because what they prefer hurts future generations.

If the planner is current-generation Pareto, she is also intergenerationally Pareto. Therefore, intergenerational Pareto is weaker than current-generation Pareto. The following lemma characterizes the consequence of intergenerational Pareto. The lemma covers a more general case than necessary for our main results. The more general case emphasizes that the following observation has nothing to do with our assumptions that the planner's discount function is exponential, that instantaneous utility functions do not change over time, etc. The more general case will also be useful in Section E in the Supplemental Material.

Lemma 1 (*Harsanyi (1955)*) *Suppose $T < +\infty$, and each generation- t individual i 's utility function takes the following form:*

$$U_{i,t}(\mathbf{p}) = \sum_{\tau=t}^T \delta_{i,t}(\tau - t) u_i(p_\tau, \tau),$$

and the planner's utility function in period t takes the following form:

$$U_t(\mathbf{p}) = \sum_{\tau=t}^T \delta_t(\tau - t) u_t(p_\tau, \tau),$$

in which $\delta_{i,t}(\cdot)$ and $\delta_t(\cdot)$ are discount functions, and $u_i(\cdot, \tau)$ and $u_t(\cdot, \tau)$ are (normalized) instantaneous utility functions. The planner's preference $(\succsim_t)_{t \in T}$ is intergenerationally Pareto

if and only if in each period $t \in T$, there exists a finite sequence of nonnegative numbers $(\omega_t(i, s))_{i \in N, s \geq t}$ such that

$$U_t = \sum_{i=1}^N \sum_{s=t}^T \omega_t(i, s) U_{i,s}.$$

The lemma essentially follows from Harsanyi (1955) and Fishburn (1984) and shows that intergenerational Pareto is equivalent to (intergenerational) utilitarianism in our setting; that is, the planner is intergenerationally Pareto if and only if in each period, her utility function is equal to a weighted sum of all the current- and future-generation individuals' utility functions. We omit the proof.

This lemma depends on the assumption that $U_{i,t}$'s and U_t 's are expected utility functions. When $T = +\infty$, a countably infinite version of Harsanyi's theorem is required, which, to the best of our knowledge, has not been established in the literature.¹¹ We present this result in Section 6.

In the lemma, the instantaneous utility functions $u_i(\cdot, \tau)$ and $u_t(\cdot, \tau)$ are normalized. The normalization assumption has two implications. First, without the normalization assumption, it is possible that there do not exist two consumption sequences such that all individuals strictly prefer one to the other. In that case, if the planner is indifferent to all consumption sequences, the planner will be intergenerational Pareto trivially. When the planner is always indifferent, she has a constant instantaneous utility function and her discount function can be arbitrary. The normalization assumption rules out this uninteresting case. Second, in this lemma, since instantaneous utility functions can depend on τ , without normalizing them in some way, the discount functions will be undetermined. This will become useful in Section E in the Supplemental Material.

¹¹Zhou (1997) has shown how the equivalence between Pareto and utilitarianism can be generalized to the case in which N is compact but not necessarily finite.

4 Social Discounting and Individual Long-Run Discounting: The Benchmark Case

There are two questions to be addressed. First, can we bypass the negative result and if yes, which social discount factors are reasonable? In particular, which social discount factors, under our assumptions, are compatible with intergenerational Pareto? Second, recall that in the social discounting literature, economists have argued that the social discount factor should be higher (more patient) than the individual discount factor. We want to understand that with heterogeneous individuals, which individual's discount factor the social discount factor should be higher than.

To contrast with the negative results, we introduce a strong notion of the non-dictatorial property.

Definition 3 *We say that the planner is strongly non-dictatorial if for each $t \in T$,*

$$U_t(\mathbf{p}) = f_t(U_{1,t}(\mathbf{p}), \dots, U_{1,T}(\mathbf{p}), U_{2,t}(\mathbf{p}), \dots, U_{2,T}(\mathbf{p}), \dots, U_{N,T}(\mathbf{p}))$$

for some strictly increasing function f_t .

We not only want to ensure that the planner is not dictatorial, but also that every individual from every generation has a say. In light of Lemma 1, under intergenerational Pareto, this means that the planner's utility function can be written as a weighted sum of individual utility functions with strictly positive weights.

Intergenerational Pareto is weaker than current-generation Pareto. However, when combined with the strongly non-dictatorial property, the planner has more strictly positive weights to assign, and hence a more complicated task to accomplish. An analogy of this is the following. In Proposition 1, if we increase the number of individuals N , the planner has more weights to assign. However, this does not make it easier for the planner to have an exponential discounting expected utility function. If the planner is required to give strictly

positive weights to the newly added individuals, that also brings in their new discount factors, which makes the aggregation problem more difficult. In fact, the easiest way for the planner to have an exponential discounting expected utility function is when there is only one individual and one strictly positive weight to be assigned.

Another obvious assumption that makes our problem more difficult is that, in our model, individuals have general discount functions. Under this assumption, it is not even clear what individual discount factors are; our results show how the social discount factor depends on general individual discount functions.

4.1 The Benchmark Case

We first examine the simplest case to illustrate how social discounting is related to individual discounting. To focus on discounting, we assume that all individual instantaneous utility functions are identical; that is, there is some continuous expected utility function $u : \Delta(X) \rightarrow \mathbb{R}$ such that each generation- t individual i 's utility function is

$$U_{i,t}(\mathbf{p}) = \sum_{\tau=t}^T \delta_i(\tau - t)u(p_\tau). \quad (3)$$

Our main result studies the case without this assumption in Section 5. An alternative interpretation of this assumption is that the planner only wants to aggregate individual discount functions. Therefore, it is without loss of generality to replace the (possibly heterogeneous) individual instantaneous utility functions with the planner's instantaneous utility function u .¹² When individuals share the same instantaneous utility function, it is straightforward to verify that the planner also has to use the same instantaneous utility function in order to satisfy Pareto properties.

The benchmark case also assumes that T is finite. Although T is finite, we may vary T in

¹²In this interpretation, however, each individual i 's preference in the definition of Pareto properties needs to be replaced with another preference induced by a discounting utility function with a discount function δ_i and an instantaneous utility function u chosen by the planner.

part of the results below. Therefore, we assume that individual discount functions are well defined for any natural number; that is, we start with a set of individual discount functions δ_i 's defined over natural numbers \mathbb{N} , and whenever we choose a finite T , we restrict the domain of δ_i 's to T . For instance, suppose individuals have quasi-hyperbolic discounting functions. We first define $\delta_i(\tau) = \beta_i \delta_i^{\tau-1}$ for any $\tau \geq 0$. Then, we choose T and focus on $\delta_i(0), \dots, \delta_i(T-1)$.

For each individual discount function $\delta_i(\tau)$, we call $\sqrt[\tau]{\delta_i(\tau)}$ his *average discount function*, and $\frac{\delta_i(\tau+1)}{\delta_i(\tau)}$ his *relative discount function*.¹³ The average discount function measures the equivalent exponential discount factor for τ -period-ahead consumption. The relative discount function captures the additional instantaneous discounting for consumption that is $\tau + 1$ periods ahead relative to consumption that is τ periods ahead.

We make two weak assumptions on the individual discount functions. The first assumption says that the average discount function has a limit; that is,

$$\lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_i(\tau)} \text{ exists.} \quad (4)$$

This assumption is weaker than assuming that the relative discount function has a limit.

The second assumption says that the relative discount function is bounded; that is,

$$\text{there is some } \alpha > 0 \text{ such that } \frac{\delta_i(\tau+1)}{\delta_i(\tau)} < \alpha \text{ for all } \tau \geq 0. \quad (5)$$

The following theorem characterizes the set of social discount factors that are compatible with intergenerational Pareto under these assumptions.

Theorem 1 *Suppose $T < +\infty$, and each generation- t individual i 's discounting utility function has an instantaneous utility function u and a discount function δ_i such that (4) and (5) hold. Then,*

¹³When $\tau = 0$, we set the average discount function's value to be 1.

1. if $\delta > \min_i \max_{\tau \in \{0, \dots, T-1\}} \frac{\delta_i(\tau+1)}{\delta_i(\tau)}$, the planner is intergenerationally Pareto and strongly non-dictatorial;
2. For each $\delta < \min_i \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_i(\tau)}$, there exists some $T^* > 0$ such that if $T \geq T^*$, the planner is not intergenerationally Pareto.

The theorem shows how social discounting depends on individual discounting when there are multiple individuals with general discount functions. We can find two cutoffs for the social discount factor. If the social discount factor is above the *least patient* individual's maximal relative discount factor, the planner's preference must be intergenerationally Pareto and strongly non-dictatorial. If the social discount factor is below the *least patient* individual's asymptotic average discount factor, the planner's preference must have violated the intergenerationally Pareto property *as long as T is large enough*. The planner has a utility function in each period t , and the cutoffs apply in all periods.

In general, when we choose a social discount factor, it is not obvious whether the planner is Pareto. The first part of the theorem allows us to check whether a social discount factor is consistent with the intergenerationally Pareto property. Moreover, it shows that even if we allow individuals to have arbitrary discount functions, and require the planner to have an exponential discounting utility function, the planner can still be intergenerationally Pareto without being dictatorial. In fact, the planner can even be strongly non-dictatorial.

Conversely, the second part of the theorem says that if the social discount factor is too low, then there must be two consumption sequences such that all individuals from all generations prefer one over the other, but the planner disagrees. We do not want to use a social discount factor that allows this to happen.

Note that for any fixed T , $\max_{\tau \in \{1, \dots, T\}} \frac{\delta_i(\tau)}{\delta_i(\tau-1)} \geq \sqrt[T]{\delta_i(T)}$, because

$$\sqrt[T]{\delta_i(T)} = \sqrt[T]{\frac{\delta_i(T)}{\delta_i(T-1)} \cdots \frac{\delta_i(1)}{\delta_i(0)}};$$

that is, $\sqrt[T]{\delta_i(T)}$ is the geometric mean of $\frac{\delta_i(\tau)}{\delta_i(\tau-1)}$'s. Therefore, $\max_{\tau \in \{1, \dots, T\}} \frac{\delta_i(\tau)}{\delta_i(\tau-1)}$ will be weakly higher than $\lim_{\tau \rightarrow \infty} \sqrt[T]{\delta_i(\tau)}$ when T is large enough, and hence the first cutoff will eventually be higher than the second cutoff.

Although the first cutoff may be strictly higher than the second, the two cutoffs in the theorem are “tight” in the following sense. If the social discount factor is below the first cutoff, there exist some T and individual discount functions $\delta_i(\tau)$'s such that the planner is not intergenerationally Pareto. Similarly, if the social discount factor is above the second cutoff, we can find some individual discount functions $\delta_i(\tau)$'s such that for all finite T , the planner is intergenerationally Pareto and strongly non-dictatorial. To understand more concretely the two cutoffs, we examine two popular special cases. We also use them to illustrate why the cutoffs are tight.

The first part of the theorem can be proved in two steps. According to Lemma 1, intergenerational Pareto is equivalent to (intergenerational) utilitarianism. First, focus on one arbitrary individual i and his offspring. We show that there exist strictly positive weights such that the weighted sum of their utility functions is an EDU function with any discount factor that is strictly higher than $\max_{\tau \in \{0, \dots, T-1\}} \frac{\delta_i(\tau+1)}{\delta_i(\tau)}$. Thus, without loss of generality, assume that every generation- t individual i has an EDU function with a discount factor that is sufficiently close to but strictly higher than $\max_{\tau \in \{0, \dots, T-1\}} \frac{\delta_i(\tau+1)}{\delta_i(\tau)}$. Next, let all individuals' weights be equal to some small number $\varepsilon > 0$, except for the least patient individual and his offspring. We show that we can find strictly positive weights for the least patient individual and his offspring such that the weighted sum of all individuals' utility functions is an EDU function with the social discount factor δ .

For the second part, suppose we are in the first period. The planner's period-1 utility is

$$U_1 = \sum_{t=1}^T \sum_{i=1}^N \omega(i, t) U_{i,t},$$

in which $\omega(i, t) \geq 0$ is the weight that the planner assigns to generation- t individual i . Con-

sider how the planner discounts period- τ consumption. Since instantaneous utility functions are identical, the equation above implies

$$\delta^{\tau-1} = \sum_{t=1}^{\tau} \sum_{i=1}^N \omega(i, t) \delta_i(\tau - t).$$

By letting $\tau = 1$, $\sum_{i=1}^N \omega(i, 1) = 1$ and hence the sum of all weights is greater than 1. Now, suppose individual 1's asymptotic average discount factor is the lowest. When τ is large enough (and hence T must be large enough), we know that $\delta_i(\tau - s) \geq \delta_1(\tau - s)$. Hence,

$$\delta^{\tau-1} = \sum_{t=1}^{\tau} \sum_{i=1}^N \omega(i, t) \delta_i(\tau - t) \geq \delta_1(\tau - 1) \sum_{t=1}^{\tau} \sum_{i=1}^N \omega(i, t) \geq \delta_1(\tau - 1).$$

Therefore, $\delta \geq \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_1(\tau)}$ when τ is large enough.

Although this theorem does tell us which individual the planner should be more patient than, it is not very helpful in pinning down social discount factors, because the least patient individual's discount factors can be quite low. Thus, many social discount rates can satisfy our requirements. However, as will be shown below, this is no longer the case once we relax an unrealistic assumptions in the benchmark case.

4.2 Individual Quasi-Hyperbolic Discounting and Exponential Discounting

We say that the generation- t individual i has a *quasi-hyperbolic discounting utility* (QH DU) function if his discount function satisfies

$$\delta_i(\tau) = \begin{cases} 1, & \text{if } \tau = 0 \\ \beta_i \delta_i^{\tau}, & \text{if } \tau \in \{1, \dots, T - 1\} \end{cases}$$

for some $\beta_i \in (0, 1]$ and $\delta_i > 0$. It is immediate that if a generation- t individual i has a QHDU function, then

$$\max_{\tau \in \{0, \dots, T-1\}} \frac{\delta_i(\tau + 1)}{\delta_i(\tau)} = \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_i(\tau)} = \delta_i.$$

The following result is an application of Theorem 1.

Corollary 1 *Suppose $T < +\infty$, and each generation- t individual i has a QHDU function with an instantaneous utility function u , $\beta_i \in (0, 1)$, and $\delta_i > 0$. Then,*

1. *If $\delta > \min_i \delta_i$, the planner is intergenerationally Pareto and strongly non-dictatorial;*
2. *For each $\delta < \min_i \delta_i$, there exists some $T^* > 0$ such that if $T \geq T^*$, the planner is not intergenerationally Pareto.*

This corollary shows that the two cutoffs of Theorem 1 are identical. Moreover, the second cutoff of Theorem 1 is tight, because $\min_i \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_i(\tau)} = \min_i \delta_i$, and Corollary 1 shows that for any social discount factor above $\min_i \delta_i$, the planner must be intergenerationally Pareto and strongly non-dictatorial.

In Section C in the Supplemental Material, we reinterpret the generation- $(t+1)$ individual i as a future self of the generation- t individual i , which also offers a reinterpretation of intergenerational Pareto and allows us to discuss how our findings are related to the time inconsistency literature. A stronger version of Corollary 1 can also be found.

Next, we present a result that is stronger than Theorem 1 under the assumption that all individuals have EDU functions.

Proposition 2 *Suppose $T < +\infty$, and each generation- t individual i has an EDU function with discount factor δ_i and instantaneous utility function u . Then, the planner is intergenerationally Pareto and strongly non-dictatorial if and only if $\delta > \min_i \delta_i$.*

This result is different from Theorem 1, because in Theorem 1, the second cutoff works under the assumption that T is sufficiently large. Proposition 2 does not require this. Similar to Corollary 1, Proposition 2 only has one cutoff for the social discount factor.¹⁴

This proposition also shows that the first cutoff of Theorem 1 is tight. To see this, note that $\min_i \max_{\tau \in \{0, \dots, T-1\}} \frac{\delta_i(\tau+1)}{\delta_i(\tau)} = \min_i \delta_i$. From Proposition 2, we know that any social discount factor below $\min_i \delta_i$ implies that the planner is not intergenerationally Pareto.

Because individuals have exponential discount functions and public consumption, Proposition 2 can be directly compared to Jackson and Yariv (2014, 2015). Assuming that individuals have EDU functions, Proposition 2 shows that under intergenerational Pareto, the planner can simultaneously have an exponential discounting expected utility function and be strongly non-dictatorial.

In Jackson and Yariv (2014, 2015), adding more current-generation exponential discounting individuals to the aggregation cannot help eliminate the negative result. Compared to Jackson and Yariv, we add future-generation exponential discounting individuals to the aggregation and this helps. To see why, first recall that when $u_i = u$, Jackson and Yariv (2014) show that utilitarian aggregation of the current generation leads to a social discount function that exhibits present bias. The fact that future generations will not care about past consumption as much as the past generations did helps us remove the present bias.

In our model, past consumption does not enter future generations' utility functions; that is, $\delta_i(\tau) = 0$ for any $\tau < 0$.¹⁵ This implies that, for example, generation- t individual i 's relative discount factor applied to period- t consumption (relative to period- $(t-1)$ consumption) is equal to " $\delta_i(0)/\delta_i(-1) = +\infty$." Thus, generation- t is "infinitely patient" between period $t-1$ and period t . The infinite patience can be used in the aggregation to offset the present bias generated by aggregating the current generation alone.

¹⁴Imagine that we write a corollary of Theorem 1 under the additional assumption that all individuals have EDU functions, rather than the stronger proposition. The two cutoffs of this corollary will be identical too.

¹⁵In Section D in the Supplemental Material, we show that when individuals use positive exponential discount factors to backward discount past consumption, our results continue to hold.

4.3 Individual Long-Run Discount Factors

In the two special cases above, the two cutoffs from Theorem 1 merge into one. This is not a coincidence. Let us introduce the following assumption:

$$\text{the relative discount function } \frac{\delta_i(\tau+1)}{\delta_i(\tau)} \text{ is increasing in } \tau. \quad (6)$$

In the time inconsistency literature, when an individual has an increasing relative discount function, the individual has *present bias*.

Now, since $\frac{\delta_i(\tau+1)}{\delta_i(\tau)}$ is increasing and bounded, we know that $\lim_{\tau \rightarrow \infty} \frac{\delta_i(\tau+1)}{\delta_i(\tau)}$ exists, and is always above $\max_{\tau \in \{0, \dots, T-1\}} \frac{\delta_i(\tau+1)}{\delta_i(\tau)}$ for any finite T . Moreover, it can be shown that if $\lim_{\tau \rightarrow \infty} \frac{\delta_i(\tau+1)}{\delta_i(\tau)}$ exists, the average discount factor has a limit, and the asymptotic relative discount factor and the asymptotic average discount factor coincide,

$$\lim_{\tau \rightarrow \infty} \frac{\delta_i(\tau+1)}{\delta_i(\tau)} = \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_i(\tau)}.$$

Therefore, assumptions (5) and (6) imply (4).

Definition 4 When $\lim_{\tau \rightarrow \infty} \frac{\delta_i(\tau+1)}{\delta_i(\tau)}$ exists, we call $\delta_i^* := \lim_{\tau \rightarrow \infty} \frac{\delta_i(\tau+1)}{\delta_i(\tau)} = \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_i(\tau)}$ individual i 's long-run discount factor.

We immediately have the following corollary.

Corollary 2 Suppose $T < +\infty$, and each generation- t individual i 's discounting utility function has an instantaneous utility function u and a discount function δ_i such that (5) and (6) hold. Then,

1. For each $\delta > \min_i \delta_i^*$, the planner is intergenerationally Pareto and strongly non-dictatorial;
2. For each $\delta < \min_i \delta_i^*$, there exists some $T^* > 0$ such that if $T \geq T^*$, the planner is not intergenerationally Pareto.

From here on, to simplify the statement of our results, we focus on the case in which each individual i 's long-run discount factor δ_i^* is well defined.

5 Social Discounting and Individual Instantaneous Utility Functions

Corollary 2 shows that if all individuals share the same instantaneous utility functions, the social discount factor only has to be higher than the lowest individual long-run discount factor. The assumption that all individuals share the same instantaneous utility function is clearly unreasonable. In fact, as long as $|X| \geq N$ (the number of deterministic consumption goods is higher than the number of individuals in each generation), generically, the instantaneous utility functions should not only be different, but also linearly independent.

Definition 5 *An N -tuple of continuous expected utility functions $(u_i)_{i \in N}$ is linearly independent if there are no constants $\alpha_1, \dots, \alpha_N$ that are not all zero, and $\sum_{i \in N} \alpha_i u_i(p) = 0$ for all $p \in \Delta(X)$.*

It turns out that when individual instantaneous utility functions are linearly independent, the cutoff for the social discount factor jumps from $\min_i \delta_i^*$ to $\max_i \delta_i^*$; that is, generically, social discounting has to be more patient than the *most* patient individual's long-run discounting. If the social discount factor is not higher than the highest individual long-run discount factor, if the time horizon is long enough, there are two consumption sequences that all individuals from all generations prefer one to the other, but the planner disagrees.

Theorem 2 *Suppose $T < +\infty$, and each generation- t individual i 's discounting utility function has an instantaneous utility function u_i and a discount function δ_i such that (5) and (6) hold and $(u_i)_{i \in N}$ is linearly independent. Let the planner's instantaneous utility function u be an arbitrary strict convex combination of $(u_i)_{i \in N}$.¹⁶ Then,*

¹⁶By a strict convex combination of $(u_i)_{i \in N}$, we mean that u is in the interior of the convex hull of u_1, \dots, u_N .

1. For each $\delta > \max_i \delta_i^*$, the planner is intergenerationally Pareto and strongly non-dictatorial;
2. For each $\delta < \max_i \delta_i^*$, there exists some $T^* > 0$ such that if $T \geq T^*$, the planner is not intergenerationally Pareto.

To see why we assume that the planner's instantaneous utility function is a strict convex combination of individual instantaneous utility functions, note that Lemma 1 implies that the intergenerationally Pareto and strongly non-dictatorial planner's utility function is equal to a weighted sum of individual utility functions with positive weights. Thus, the planner's instantaneous utility function must also be a weighted sum of individual instantaneous utility functions. Since instantaneous utility functions are normalized, the weights must sum up to 1.

Notice that the planner's instantaneous utility function—in other words, her risk attitude—is independent of the cutoff for the social discount factor. This is somewhat surprising. Suppose there are two individuals, 1 and 2, and individual 2 is more patient. The above theorem says that even if the social discount factor is close to individual 2's discount factor, it is not necessarily the case that the planner's risk attitude is also close to individual 2's risk attitude. We can have a planner whose risk attitude is close to individual 1's, but the social discount factor is close to individual 2's.

If there are many individuals with a wide range of long-run discount factors, this result may imply that the planner has to be very patient in order to be intergenerationally Pareto. If so, perhaps the near-zero social discount rate used by Stern (2007) can be justified. If one thinks that a market rate is higher than the lowest individual discount rate, this result also rules out the use of a market rate as the social discount rate.

The theorem also shows that the cutoff for the social discount factor in Theorem 1 is not robust. When $u_i = u_j$ for all $i, j \in N$, the cutoff is $\min_i \delta_i^*$. If we introduce a small perturbation to u_i 's, then generically the cutoff jumps discontinuously to $\max_i \delta_i^*$.

Theorem 2 assumes (5) and (6); that is, individual relative discount functions are increasing and bounded. If we replace (6) with (4) as in Theorem 1, the only change in the statement of Theorem 2 will be that instead of one cutoff, we will have two cutoffs similar to Theorem 1.

To prove the first part of this theorem, again, we show that there are strictly positive weights for each individual i and his offspring such that the weighted sum of their utility functions is an EDU function with any new discount factor that is higher than that individual's maximal relative discount factor. Let the new discount factor be equal to the social discount factor $\delta > \max_i \delta_i^*$. Without loss of generality, assume that every individual i has an EDU function with discount factor δ . The EDU functions only differ in u_i 's, and hence can be aggregated easily. The intuition behind the second part of this theorem will be discussed following Proposition 3.

Similar to Theorem 1, the second part of Theorem 2 requires the time horizon to be long enough. In Proposition 2, we show that when individual discount functions are exponential, the second part of Theorem 1 will become independent of T . The same holds when $(u_i)_{i \in N}$ is linearly independent, as shown in the proposition below.

Proposition 3 *Suppose $T < +\infty$, and each generation- t individual i has an EDU function with discount factor δ_i and instantaneous utility function u_i such that $(u_i)_{i \in N}$ is linearly independent. Then, the planner is intergenerationally Pareto and strongly non-dictatorial if and only if $\delta > \max_i \delta_i$.*

The if part follows from the first part of Theorem 2. We explain the proof of the only-if part of Proposition 3 below, which will also explain the idea behind the second part of Theorem 2. Note that when $(u_i)_{i \in N}$ is linearly independent and u is in the interior of $\text{co}(\{u_i\}_{i \in N})$, there is a unique way to write u as a strict convex combination of $(u_i)_{i \in N}$.¹⁷ Suppose $\sum_{i \in N} \lambda_i u_i = u$, in which $\lambda_i > 0$ (because the planner is strongly non-dictatorial)

¹⁷We use $\text{co}(\cdot)$ to denote the convex hull.

and $\sum_{i \in N} \lambda_i = 1$. Focus on the first period. The planner's utility function is

$$U_1(\mathbf{p}) = \sum_{t=1}^T \sum_{i=1}^N \omega(i, t) U_{i,t}(\mathbf{p}) = \sum_{t=1}^T \sum_{i=1}^N \omega(i, t) \sum_{\tau=t}^T \delta_i^{\tau-t} u_i(p_\tau),$$

in which $\omega(i, t) > 0$ is the weight that the planner assigns to the generation- t individual i . Clearly, the planner's instantaneous utility function for period-1 consumption is

$$u(p_1) = \sum_{i=1}^N \omega(i, 1) u_i(p_1) \tag{7}$$

for any p_1 . Since u can be written as a unique strict convex combination of $(u_i)_{i \in N}$, it must be the case that

$$\omega(i, 1) = \lambda_i \tag{8}$$

for any $i \in N$. Similarly, the planner's instantaneous utility function for period-2 consumption satisfies

$$\delta u(p_2) = \sum_{i=1}^N \omega(i, 1) \delta_i u_i(p_2) + \sum_{i=1}^N \omega(i, 2) u_i(p_2) \tag{9}$$

for any p_2 . Then, equations (7), (8), and (9), together with the strongly non-dictatorial property, imply that

$$\lambda_i \delta = \lambda_i \delta_i + \omega(i, 2) \Rightarrow \delta > \delta_i$$

for any $i \in N$, which means $\delta > \max_i \delta_i$. We omit the proof of Proposition 3.

5.1 Gradual Transition of the Cutoff

Let us further illustrate how the cutoff changes “discontinuously” from the least patient individual's long-run discount factor to the most patient individual's. An individual's instantaneous utility function describes his risk attitude. Let Θ be some positive integer. Suppose there is a linearly independent Θ -tuple of instantaneous utility functions $(u^\theta)_{\theta=1}^\Theta$ that represent Θ generic types of risk attitude. Assume that individual i 's instantaneous

utility function $u_i \in \{u^\theta\}_{\theta=1}^\Theta$, and for each type u^θ , at least one individual's instantaneous utility function is equal to u^θ . If $\Theta = 1$, we are in the case of Theorem 1. When $\Theta = N$, we are in the case of Theorem 2. Define $\delta_\theta^* := \min_{k \in \{i \in N: u_i = u^\theta\}} \delta_k^*$; that is, for each θ , let δ_θ^* be the least patient individual's long-run discount factor whose type is u^θ . Define

$$\delta_{\max\min}^* := \max_\theta \delta_\theta^*.$$

Theorem 3 *Suppose $T < +\infty$, and for some linearly independent Θ -tuple of instantaneous utility functions $(u^\theta)_{\theta=1}^\Theta$ such that $\{u_i\}_{i \in N} = \{u^\theta\}_{\theta=1}^\Theta$, each generation- t individual i 's discounting utility function has an instantaneous utility function $u_i \in \{u^\theta\}_{\theta=1}^\Theta$ and a discount function δ_i such that (5) and (6) hold. Let the planner's instantaneous utility function u be an arbitrary strict convex combination of $(u_i)_{i \in N}$. Then,*

1. *For each $\delta > \delta_{\max\min}^*$, the planner is intergenerationally Pareto and strongly non-dictatorial;*
2. *For each $\delta < \delta_{\max\min}^*$, there exists some $T^* > 0$ and some $\epsilon > 0$ such that if $T \geq T^*$, the planner is not intergenerationally Pareto.*

Intuitively, for each type of risk attitude u^θ , we can apply Theorem 1 to show that the cutoff for the social discount factor implied by aggregating type- u^θ individuals is δ_θ^* . When aggregating across types, we apply Theorem 2 to show that the maximal δ_θ^* is the cutoff for the social discount factor.

6 Social Discounting and the Time Horizon

In many economic models (and perhaps in reality), the time horizon is infinite. In this section, we show that the finding in our main Theorem 2 with linearly independent $(u_i)_{i \in N}$ continues to hold when $T = +\infty$. In Section A.9 in the Appendix, we present a related result that does not assume that $(u_i)_{i \in N}$ is linearly independent, and shows that even when

u_i 's are identical, the cutoff for the social discount factor will jump from $\min_i \delta_i^*$ to $\max_i \delta_i^*$ when $T = +\infty$.

One of the main challenges in extending our main result to the infinite-horizon case is to establish the equivalence between intergenerational Pareto and (intergenerational) utilitarianism. The lemma below establishes the equivalence under the setting of our main theorem (Theorem 2).

Lemma 2 *Suppose $T = +\infty$, and each generation- t individual i 's discounting utility function has an instantaneous utility function u_i such that $(u_i)_{i \in N}$ is linearly independent. The planner's preference $(\succsim_t)_{t \in T}$ is intergenerationally Pareto if and only if in each period $t \in T$, there exists a sequence of nonnegative numbers $(\omega_t(i, s))_{i \in N, s \geq t}$ such that $0 < \sum_{i=1}^N \sum_{s=t}^T \omega_t(i, s) < \infty$, and*

$$U_t = \sum_{i=1}^N \sum_{s=t}^T \omega_t(i, s) U_{i,s}.$$

Note that the lemma above assumes that $(u_i)_{i \in N}$ is linearly independent.¹⁸ This assumption holds generically, is consistent with the assumption in our main theorem (Theorem 2), and holds if we assume that $(u_i)_{i \in N}$ satisfies the “independent prospects condition,” which is a condition that is often imposed in the literature.¹⁹

If the set of individuals is compact, we can apply a result in Zhou (1997) to establish the equivalence between intergenerational Pareto and (intergenerational) utilitarianism without assuming linearly independent $(u_i)_{i \in N}$. When $T = +\infty$, we have countably infinitely many generations, and hence the set of individuals is not compact.

Theorem 4 *Suppose $T = +\infty$, and each generation- t individual i 's discounting utility function has an instantaneous utility function u_i and a discount function δ_i such that (5) and*

¹⁸If discount functions and instantaneous utility functions can depend on time as in Lemma 1, we may need equicontinuity assumptions on the set of individual discount functions and instantaneous utility functions.

¹⁹See Fishburn (1984), Weymark (1994), and Börgers and Choo (2017). In Fishburn's (1984) proof, there are two cases to be analyzed. One is under the independent prospects condition, but Fishburn has not given the condition a name.

(6) hold and $(u_i)_{i \in N}$ is linearly independent. Let the planner's instantaneous utility function u be an arbitrary strict convex combination of $(u_i)_{i \in N}$. Then,

1. For each $\max_i \delta_i^* < \delta < 1$, the planner is intergenerationally Pareto and strongly non-dictatorial;
2. For each $\delta < \max_i \delta_i^*$, the planner is not intergenerationally Pareto.

An additional step in the first part of the result is to show that the weights that the planner uses to aggregate individual utility functions are absolutely summable. The second step is similar to Theorem 2.

7 Conclusion

The value of a policy or a public project that affects generations of individuals often crucially depends on which social discount rate is used for the evaluation. However, there is no consensus on which social discount rate is the right one to use. This paper considers a few important and widely used assumptions in economics, and characterizes the set of social discount rates that are compatible with those assumptions. The key assumptions are (i) individuals discount future consumption in a general and heterogeneous way, (ii) the planner has an exponential discounting expected utility function, (iii) the planner takes into account every individual's preference from every generation strictly, and (iv) the planner is intergenerationally Pareto, which means that if all individuals from all generations agree that one consumption sequence is better than another, then the planner must agree.

We show that for a generic set of individual instantaneous utility functions, the social discount factor should be higher than the highest individual long-run discount factor, as long as the time horizon is long enough. Therefore, using a near-zero social discount rate is justifiable.

References

- Aliprantis, C. and K. Border (2006). *Infinite Dimensional Analysis: A Hitchhiker's Guide* (3 ed.). Berlin, Heidelberg: Springer.
- Arrow, K. (1999). Discounting, Morality, and Gaming. In P. Portney and J. Weyant (Eds.), *Discounting and Intergenerational Equity*, Chapter 2, pp. 13–22. New York, London: Resources for the Future.
- Asheim, G. and S. Zuber (2014). Escaping the Repugnant Conclusion: Rank-Discounted Utilitarianism with Variable Population. *Theoretical Economics* 9(3), 629–650.
- Bain, J. (1960). Criteria for Undertaking Water-Resource Developments. *American Economic Review* 50(2), 310–320.
- Boadway, R. (2012). *From Optimal Tax Theory to Tax Policy: Retrospective and Prospective Views*. Cambridge, London: MIT Press.
- Börgers, T. and Y. Choo (2017). Revealed Relative Utilitarianism. Working Paper, University of Michigan.
- Caplin, A. and J. Leahy (2004). The Social Discount Rate. *Journal of Political Economy* 112(6), 1257–1268.
- Chambers, C. and F. Echenique (2017). On Multiple Discount Rates. Working Paper, California Institute of Technology.
- Chambers, C. and T. Hayashi (2006). Preference Aggregation under Uncertainty: Savage vs. Pareto. *Games and Economic Behavior* 54(2), 430–440.
- Craven, B. and J. Koliha (1977). Generalizations of Farkas' Theorem. *SIAM Journal on Mathematical Analysis* 8(6), 983–997.
- De Meyer, B. and P. Mongin (1995). A Note on Affine Aggregation. *Economics Letters* 47(2), 177–183.
- Drugeon, J.-P. and B. Wigniolle (2017). On Time-Consistent Collective Choice with Heterogeneous Quasi-Hyperbolic Discounting. Working Paper, Paris School of Economics.
- Eckstein, O. (1957). Investment Criteria for Economic Development and the Theory of Intertemporal Welfare Economics. *Quarterly Journal of Economics* 71(1), 56–85.
- Farhi, E. and I. Werning (2007). Inequality and Social Discounting. *Journal of Political Economy* 115(3), 365–402.
- Feldstein, M. (1964). The Social Time Preference Discount Rate in Cost Benefit Analysis. *Economic Journal* 74(294), 360–379.
- Fishburn, P. (1984). On Harsanyi's Utilitarian Cardinal Welfare Theorem. *Theory and Decision* 17(1), 21–28.

- Fleurbaey, M. and S. Zuber (2015). Discounting, Risk and Inequality: A General Approach. *Journal of Public Economics* 128, 34–49.
- Frederick, S., G. Loewenstein, and T. O’Donoghue (2002). Time Discounting and Time Preference: A Critical Review. *Journal of Economic Literature* 40(2), 351–401.
- Galperti, S. and B. Strulovici (2017). A Theory of Intergenerational Altruism. *Econometrica* 85(4), 1175–1218.
- Gollier, C. and R. Zeckhauser (2005). Aggregation of Heterogeneous Time Preferences. *Journal of Political Economy* 113(4), 878–896.
- Halevy, Y. (2015). Time Consistency: Stationarity and Time Invariance. *Econometrica* 83(1), 335–352.
- Hammond, P. (1987). Altruism. In J. Eatwell, M. Milgate, and P. Newman (Eds.), *The New Palgrave: A Dictionary of Economics* (1 ed.), pp. 85–87. Basingstoke: Palgrave Macmillan.
- Harsanyi, J. (1955). Cardinal Welfare, Individualistic Ethics, and Interpersonal Comparisons of Utility. *Journal of Political Economy* 63(4), 309–321.
- Jackson, M. and L. Yariv (2014). Present Bias and Collective Dynamic Choice in the Lab. *American Economic Review* 104(12), 4184–4204.
- Jackson, M. and L. Yariv (2015). Collective Dynamic Choice: The Necessity of Time Inconsistency. *American Economic Journal: Microeconomics* 7(4), 150–178.
- Jonsson, A. and M. Voorneveld (2017). The Limit of Discounted Utilitarianism. Working Paper, Stockholm School of Economics.
- Laibson, D. (1997). Golden Eggs and Hyperbolic Discounting. *Quarterly Journal of Economics* 112(2), 443–478.
- Marglin, S. (1963). The Social Rate of Discount and the Optimal Rate of Investment. *Quarterly Journal of Economics* 77(1), 95–111.
- Millner, A. (2016). Non-Paternalistic Social Discounting. Working Paper, London School of Economics.
- Millner, A. and G. Heal (2017). Time Consistency and Time Invariance in Collective Intertemporal Choice. Working Paper, London School of Economics.
- Mirrlees, J. (2007). Taxation of Gifts and Bequests. Slides for a Talk at the Centenary of James Meade Conference.
- Mongin, P. (1995). Consistent Bayesian Aggregation. *Journal of Economic Theory* 66(2), 313–351.

- Mongin, P. (1998). The Paradox of the Bayesian Experts and State-Dependent Utility Theory. *Journal of Mathematical Economics* 29(3), 331–361.
- Munkres, J. (2000). *Topology* (2 ed.). Upper Saddle River: Prentice Hall.
- Nordhaus, W. (2007). A Review of the Stern Review on the Economics of Climate Change. *Journal of Economic Literature* 45(3), 686–702.
- Piacquadio, P. (2017). The Ethics of Intergenerational Risk. Working Paper, University of Oslo.
- Pigou, A. (1920). *The Economics of Welfare*. London: Macmillan & Co., Limited.
- Ramsey, F. (1928). A Mathematical Theory of Saving. *Economic Journal* 38(152), 543–559.
- Ray, D., N. Vellodi, and R. Wang (2017). Backward discounting. Working Paper, New York University.
- Sen, A. (1961). On Optimizing the Rate of Saving. *Economic Journal* 71(283), 479–496.
- Solow, R. (1974). The Economics of Resources or the Resources of Economics. *American Economic Review* 64(2), 1–14.
- Stern, N. (2007). *The Economics of Climate Change: The Stern Review*. Cambridge, UK: Cambridge University Press.
- Strotz, R. (1955). Myopia and Inconsistency in Dynamic Utility Maximization. *Review of Economic Studies* 23(3), 165–180.
- Weitzman, M. (2001). Gamma Discounting. *American Economic Review* 91(1), 260–271.
- Weymark, J. (1994). Harsanyi’s Social Aggregation Theorem with Alternative Pareto Principles. In E. W. (Ed.), *Models and Measurement of Welfare and Inequality*, pp. 869–887. Berlin, Heidelberg: Springer.
- Zhou, L. (1997). Harsanyi’s Utilitarianism Theorems: General Societies. *Journal of Economic Theory* 72(1), 198–207.
- Zuber, S. (2011). Can Social Preferences Be Both Stationary and Paretian? *Annals of Economics and Statistics* (101/102), 347–360.
- Zuber, S. and G. Asheim (2012). Justifying Social Discounting: The Rank-Discounted Utilitarian Approach. *Journal of Economic Theory* 147(4), 1572–1601.

A Appendix

A.1 Proof of Proposition 1

Proof. If Part If for all $t \in T$, there exists a unique $i \in N$ such that $U_t = U_{i,t}$, then the planner takes no one but individual i into account in period t . The corresponding weights in period t are $\omega_i = 1$, and $\omega_j = 0$ for all $j \neq i$. According to Lemma 1, the planner's preference $(\succsim_t)_{t \in T}$ is current-generation Pareto.

Only-If Part Suppose the planner's preference $(\succsim_t)_{t \in T}$ is current-generation Pareto. Then, according to Lemma 1, there exists an N -tuple of nonnegative weights $(\omega_i)_{i \in N}$, such that

$$\sum_{i=1}^N \omega_i \sum_{\tau=1}^T \delta_i^{\tau-1} u_i(p_\tau) = \sum_{\tau=1}^T \delta^{\tau-1} u(p_\tau);$$

that is, for $\tau = 1, \dots, T-1$,

$$\sum_{i=1}^N \omega_i \delta_i^{\tau-1} u_i(p_\tau) = \delta^{\tau-1} u(p_\tau).$$

Let $\tau = 1, 2$, and 3 . We have

$$\begin{cases} \sum_{i=1}^N \omega_i u_i(p) = u(p), \\ \sum_{i=1}^N \omega_i \delta_i u_i(p) = \delta u(p), \\ \sum_{i=1}^N \omega_i \delta_i^2 u_i(p) = \delta^2 u(p), \end{cases}$$

for any $p \in \Delta(X)$. Let $p = x^*$. The first equation shows that $\sum_{i \in N} \omega_i = 1$. Combining the second and the third equations above,

$$\left(\sum_{i=1}^N \omega_i \delta_i \right)^2 = \sum_{i=1}^N \omega_i \delta_i^2. \quad (10)$$

Since $\sum_{i \in N} \omega_i = 1$, by Jensen's inequality, equation (10) holds if and only if δ_i 's are identical or there exists one $i \in N$ such that $\omega_i = 1$. With a generic N -tuple of discount factors

$(\delta_i)_{i \in N}$, $\delta_i \neq \delta_j$ for any $i \neq j$. Therefore, there exists a unique $i \in N$ such that $\omega_i = 1$, and $\omega_j = 0$ for any $j \neq i$, which means that $U_t = U_{i,t}$. ■

A.2 Proof of Proposition 2

Proof. The following lemma will be useful in proving Proposition 2.

Lemma 3 *Given a positive N -tuple $(\delta_i)_{i \in N}$, if $\delta > \min_i \delta_i$, there exists a finite sequence of strictly positive numbers $(\omega_t(i, s))_{t \in T, i \in N, s \geq t}$ such that the following equation holds*

$$\sum_{i=1}^N \sum_{s=t}^{\tau} \omega_t(i, s) \delta_i^{\tau-s} = \delta^{\tau-t} \quad (11)$$

for any $t \in T$ and $\tau \geq t$.

Proof. Without loss of generality, we assume that $\delta_1 = \min_i \delta_i$. First, we fix all the weights other than individual 1's. Let $\omega_t(i, s) = \epsilon_t(s) > 0$ for any $i \geq 2$, $t \geq 1$, and $s \geq t$. The remaining part is to find $(\omega_t(1, s))_{t \in T, s \geq t}$ such that

1. equation (11) holds;
2. $\omega_t(1, s) > 0$, for any $t \geq 1$ and $s \geq t$.

Construct $(\omega_t(1, s))_{t \in T, s \geq t}$ by the following recursive formula:

$$\omega_t(1, s) = \begin{cases} 1 - \sum_{i=2}^N \omega_t(i, s), & \text{if } s = t, \\ \delta^{s-t} - \sum_{i=1}^N \omega_t(i, t) \delta_i^{s-t} - \cdots - \sum_{i=1}^N \omega_t(i, s-1) \delta_i - \sum_{i=2}^N \omega_t(i, s), & \text{if } s > t. \end{cases} \quad (12)$$

It can be verified that (12) ensures that equation (11) holds for any $t \in T$ and $\tau \geq t$. The remaining part is to show that $(\omega_{1,t}(s))_{t \in T, s \geq t}$ derived from (12) are strictly greater than zero, if $(\epsilon_t(s))_{t \in T, s \geq t}$ are small enough. We prove it in two steps.

Step 1 Setting $\epsilon_t(s) = 0$, the recursive formula (12) becomes

$$\omega_t(1, s) = \begin{cases} 1, & \text{if } s = t, \\ \delta^{s-t-1}(\delta - \delta_1), & \text{if } s > t, \end{cases}$$

for each $t \in T$. This can be proved by induction. Since $\delta > \delta_1$, we have $\omega_t(1, s) > 0$.

Step 2 Plugging $\epsilon_t(s)$ into formula (12), we have,

$$\begin{cases} \omega_t(1, t) = 1 - (N - 1)\epsilon_t(t), \\ \omega_t(1, t + 1) = \delta - \delta_1 - \left[\sum_{i=2}^N (\delta_i - \delta_1) \right] \epsilon_t(t) - (N - 1)\epsilon_t(t + 1), \\ \omega_t(1, t + 2) = \delta(\delta - \delta_1) - \left[\sum_{i=2}^N \delta_i(\delta_i - \delta_1) \right] \epsilon_t(t) - \left[\sum_{i=2}^N (\delta_i - \delta_1) \right] \epsilon_t(t + 1) - (N - 1)\epsilon_t(t + 2), \\ \vdots \end{cases}$$

Then, we know that $\omega_t(1, s) = F_t^{(s)}(\epsilon_t(t), \dots, \epsilon_t(s) | \delta, \delta_1, \dots, \delta_n)$, in which $F_t^{(s)}$ is an affine (and hence continuous) function of $\epsilon_t(t), \dots, \epsilon_t(s)$. By continuity of $F_t^{(s)}$, the weights $\omega_t(1, s)$'s are strictly greater than zero, if $\epsilon_t(s)$'s are small enough. ■

Now we are able to prove Proposition 2.

If Part Since the planner's instantaneous utility function u is identical to individual instantaneous utility function u , the if part follows from lemma 3 immediately.

Only-If Part Suppose the planner's preference is intergenerationally Pareto and strongly non-dictatorial. For each $t \in T$, there exists a finite sequence of strictly positive numbers $(\omega_t(i, s))_{i \in N, s \geq t}$ such that

$$\begin{aligned} U_t(\mathbf{p}) &= \sum_{s=t}^T \sum_{i=1}^N \omega_t(i, s) U_{i,s}(\mathbf{p}) = \sum_{s=t}^T \sum_{i=1}^N \omega_t(i, s) \sum_{\tau=s}^T \delta_i^{\tau-s} u(p_\tau) \\ &= \sum_{\tau=t}^T \sum_{s=t}^{\tau} \sum_{i=1}^N \omega_t(i, s) \delta_i^{\tau-s} u(p_\tau). \end{aligned}$$

Then, for $\forall t, \forall \tau \geq t$, the following equality holds,

$$\sum_{s=t}^{\tau} \sum_{i=1}^N \omega_t(i, s) \delta_i^{\tau-s} u(p_\tau) = \delta^{\tau-t} u(p_\tau). \quad (13)$$

Let $\tau = t, t + 1$ in (13). We have

$$\begin{cases} \sum_{i=1}^N \omega_t(i, t) u(p_t) = u(p_t), \\ \sum_{i=1}^N \omega_t(i, t) \delta_i u(p_{t+1}) + \sum_{i=1}^N \omega_t(i, t+1) u(p_{t+1}) = \delta u(p_{t+1}). \end{cases}$$

Combining the above two equations,

$$\sum_{i=1}^N \omega_t(i, t) \delta = \sum_{i=1}^N \omega_t(i, t) \delta_i + \sum_{i=1}^N \omega_t(i, t+1).$$

Rearranging the above equation, we have

$$\begin{aligned} \delta &= \frac{\sum_{i=1}^N \omega_t(i, t) \delta_i + \sum_{i=1}^N \omega_t(i, t+1)}{\sum_{i=1}^N \omega_t(i, t)} > \frac{\sum_{i=1}^N \omega_t(i, t) \delta_i}{\sum_{i=1}^N \omega_t(i, t)} > \\ \frac{\sum_{i=1}^N \omega_t(i, t) \min_i \delta_i}{\sum_{i=1}^N \omega_t(i, t)} &= \min_{i \in N} \delta_i \end{aligned}$$

(13)

■

A.3 Proof of Theorem 1

Proof. Part I We prove part I in two steps. First, we prove a lemma for the one-individual case. Then, we apply Proposition 2 to complete the proof.

Lemma 4 *Assume that $N = \{i\}$. Suppose $T < +\infty$, and each generation- t individual i 's discounting utility function has an instantaneous utility function u and a discount function $\delta_i(\tau)$ such that (4) and (5) hold. For any $\delta > \hat{\delta}_i := \max_{\tau \in \{0, \dots, T-1\}} \frac{\delta_i(\tau+1)}{\delta_i(\tau)}$, the planner is intergenerationally Pareto and strongly non-dictatorial.*

Proof. We want to show that for any $\delta > \hat{\delta}_i$ and each $t \in T$, there exists a finite sequence of strictly positive numbers $(\omega_t(i, s))_{t \in T, s \geq t}$ such that

$$U_t(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u(p_\tau) = \sum_{s=t}^T \omega_t(i, s) U_{i,s}(\mathbf{p}).$$

Given any $\delta > \hat{\delta}_i$, for each $t \in T$, we can construct $(\omega_t(i, s))_{s \geq t}$ according to the following formula:

$$\omega_t(i, s) = \begin{cases} 1, & \text{if } s = t, \\ \delta^{s-t-1} \left(\delta - \hat{\delta}_i \right) + \sum_{\tau=t}^{s-1} \left[\hat{\delta}_i \delta_i(s-1-\tau) - \delta_i(s-\tau) \right] \omega_t(i, \tau), & \text{if } s > t. \end{cases} \quad (14)$$

Note that by assuming $\delta > \hat{\delta}_i$, for $s > t$, the first term of $\omega_t(i, s)$ is strictly greater than 0. According to the definition of $\hat{\delta}_i$, the second term of $\omega_t(i, s)$ is greater than 0. Hence, $\omega_t(i, s) > 0$ for any $s \geq t$. Then,

$$U_t(\mathbf{p}) = \sum_{s=t}^T \omega_t(i, s) U_{i,s}(\mathbf{p}) = \sum_{s=t}^T \omega_t(i, s) \left[\sum_{\tau=s}^T \delta_i(\tau-s) u(p_\tau) \right] = \sum_{\tau=t}^T \left[\sum_{s=t}^{\tau} \delta_i(\tau-s) \omega_t(i, s) \right] u(p_\tau).$$

We want to prove that $U_t(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u(p_\tau)$ by induction. Consider $\sum_{s=t}^{\tau} \delta_i(\tau-s) \omega_t(i, s)$. When $\tau = t$, $\sum_{s=t}^{\tau} \delta_i(\tau-s) \omega_t(i, s) = \omega_t(i, t) = 1 = \delta^0$. Suppose for some $\tau \geq t$,

we have proven that $\sum_{s=t}^{\tau} \delta_i(\tau - s)\omega_t(i, s) = \delta^{\tau-t}$. We want to prove that for $\tau + 1$,

$$\sum_{s=t}^{\tau+1} \delta_i(\tau + 1 - s)\omega_t(i, s) = \delta^{\tau-t+1}. \quad (15)$$

To prove (15), we only need to notice that according to (14),

$$\begin{aligned} & \sum_{s=t}^{\tau+1} \delta_i(\tau + 1 - s)\omega_t(i, s) = \omega_t(i, \tau + 1) + \sum_{s=t}^{\tau} \delta_i(\tau + 1 - s)\omega_t(i, s) \\ = & \omega_t(i, \tau + 1) + \hat{\delta}_i \left[\delta^{\tau-t} + \sum_{s=t}^{\tau} \frac{\delta_i(\tau + 1 - s)}{\hat{\delta}_i} \omega_t(i, s) - \delta^{\tau-t} \right] \\ = & \omega_t(i, \tau + 1) + \hat{\delta}_i \left[\delta^{\tau-t} + \sum_{s=t}^{\tau} \frac{\delta_i(\tau + 1 - s)}{\hat{\delta}_i} \omega_t(i, s) - \sum_{s=t}^{\tau} \delta_i(\tau - s)\omega_t(i, s) \right] \\ = & \omega_t(i, \tau + 1) + \hat{\delta}_i \delta^{\tau-t} + \sum_{s=t}^{\tau} \left[\delta_i(\tau + 1 - s) - \hat{\delta}_i \delta_i(\tau - s) \right] \omega_t(i, s) = \delta^{\tau-t+1}. \end{aligned}$$

By induction, we know that $\sum_{s=t}^{\tau} \delta_i(\tau - s)\omega_t(i, s) = \delta^{\tau-t}$ for any $\tau \geq t$. Now, we know that $U_t(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u_i(p_{\tau})$. ■

Lemma 4 states that in each period t , the planner can aggregate individual i 's utility functions from the t^{th} generation to the T^{th} generation to derive an EDU function with any discount factor greater than $\hat{\delta}_i$. Then, by Proposition 2, in each period t , the planner can aggregate N exponential discounting individuals from the t^{th} generation to the T^{th} generation one more time, and obtain an EDU function with any social discount factor greater than $\min_i \hat{\delta}_i$.

Part II Define $\tilde{\delta}_i := \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_i(\tau)}$. Without loss of generality, we assume that $\tilde{\delta}_1$ is the unique minimum of $\tilde{\delta}_1, \dots, \tilde{\delta}_N$. The proof can easily be extended to the case with multiple minima. We prove it by contradiction. Suppose the planner is intergenerationally Pareto. For each $t \in T$, there exists a finite sequence of nonnegative numbers $(\omega_t(i, s))_{i \in N, s \geq t}$ such

that the following equality holds:

$$\sum_{s=t}^{\tau} \sum_{i=1}^N \omega_t(i, s) \delta_i(\tau - s) u(p_\tau) = \delta^{\tau-t} u(p_\tau) \quad (16)$$

for any $t \in T$ and $\tau \geq t$.

By letting $\tau = t$, equation (16) shows that $\sum_{i \in N} \omega_t(i, t) = 1$ for any $t \in T$. Then,

$$\delta^{\tau-t} = \frac{\sum_{s=t}^{\tau} \sum_{i=1}^N \omega_t(i, s) \delta_i(\tau - s)}{\sum_{i=1}^N \omega_t(i, t)} \geq \frac{\sum_{i=1}^N \omega_t(i, t) \delta_i(\tau - t)}{\sum_{i=1}^N \omega_t(i, t)}. \quad (17)$$

Since $\tilde{\delta}_1 = \min_i \tilde{\delta}_i$, there exists $T_1 > 0$ such that for $\forall \tau > T_1$, $\delta_1(\tau - t) = \min_i \delta_i(\tau - t)$.

Hence, (17) becomes

$$\delta^{\tau-t} \geq \frac{\sum_{i=1}^N \omega_{i,t}(t) \delta_1(\tau - t)}{\sum_{i=1}^N \omega_{i,t}(t)} = \delta_1(\tau - t). \quad (18)$$

According to our assumptions, $\delta < \tilde{\delta}_1$. Then, there exists $T_2 > 0$ such that for $\forall \tau > T_2$,

$$\delta^{\tau-t} < \delta_1(\tau - t). \quad (19)$$

Let $T^* = \max\{T_1, T_2\}$. Then, (18) and (19) contradict each other. ■

A.4 Proof of Theorem 2

Proof. Part I We prove this theorem in two steps. First, again we consider the special case in which there is only one individual i to be aggregated across generations. Since the individual relative discount factor is increasing, $\delta_i^* \geq \hat{\delta}_i := \max_{\tau \in \{0, \dots, T-1\}} \frac{\delta_i(\tau+1)}{\delta_i(\tau)}$. By Lemma 4, because the social discount factor $\delta > \max_i \delta_i^* \geq \delta_i^*$, for any $i \in N$ and $t \in T$, we can find

some positive $(\omega_t(i, s))_{s \geq t}$ such that

$$\sum_{s=t}^T \omega_t(i, s) U_{i,s}(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u_i(p_\tau);$$

that is, we can aggregate each individual's utility functions across generations into an EDU function with discount factor δ .

Consider any N -tuple of strictly positive numbers $(\lambda_i)_{i \in N}$ such that $\sum_{i \in N} \lambda_i = 1$. Together with the weights $(\omega_t(i, s))_{i \in N, s \geq t}$ we have found above, let the planner's utility function satisfy

$$\begin{aligned} U_t(\mathbf{p}) &= \sum_{i=1}^N \sum_{s=t}^T \lambda_i \omega_t(i, s) U_{i,s}(\mathbf{p}) = \sum_{i=1}^N \sum_{\tau=t}^T \delta^{\tau-t} \lambda_i u_i(p_\tau) \\ &= \sum_{\tau=t}^T \delta^{\tau-t} \sum_{i=1}^N \lambda_i u_i(p_\tau) = \sum_{\tau=t}^T \delta^{\tau-t} u(p_\tau), \end{aligned}$$

in which $u = \sum_{i \in N} \lambda_i u_i$ is an arbitrary strict convex combination of $(u_i)_{i \in N}$.

Part II We prove it by contradiction. Suppose there exists an intergenerationally Pareto planner with the social discount factor $\delta < \max_i \delta_i^*$. By intergenerational Pareto, for each $t \in T$, there exists nonnegative numbers $(\omega_t(i, s))_{i \in N, s \geq t}$ such that the following equality holds for each $t \in T$:

$$\sum_{\tau=t}^T \delta^{\tau-t} u(p_\tau) = \sum_{\tau=t}^T \sum_{i=1}^N \sum_{s=t}^{\tau} \omega_t(i, s) \delta_i(\tau - s) u_i(p_\tau).$$

Since p_τ 's are arbitrary, the equation above implies that

$$\begin{cases} \sum_{i=1}^N \omega_0(i, 0) u_i(p_0) = u(p_0), \\ \sum_{s=0}^{\tau} \sum_{i=1}^N \omega_0(i, s) \delta_i(\tau - s) u_i(p_\tau) = \delta^\tau u(p_\tau). \end{cases} \quad (20)$$

Recall that u is a strict convex combination of $(u_i)_{i \in N}$ and $(u_i)_{i \in N}$ is linearly independent. There is a unique way to write u as a convex combination of $(u_i)_{i \in N}$. Thus, the first equation

of (20) implies that $\omega_0(i, 0) > 0$ for each i . Combining the two equations of (20), we have

$$\sum_{i=1}^N \omega_0(i, 0) \delta^\tau u_i = \sum_{i=1}^N \sum_{s=0}^{\tau} \omega_0(i, s) \delta_i(\tau - s) u_i.$$

Since $(u_i)_{i \in N}$ is linearly independent, the above equation is equivalent to

$$\omega_0(i, 0) \delta^\tau u_i = \sum_{s=0}^{\tau} \omega_0(i, s) \delta_i(\tau - s) u_i.$$

for $\forall i \in N$.

Rearrange the above equation. We have

$$\delta^\tau = \frac{\sum_{s=0}^{\tau} \omega_0(i, s) \delta_i(\tau - s)}{\omega_0(i, 0)} = \frac{\omega_0(i, 0) \delta_i(\tau) + \sum_{s=1}^{\tau} \omega_0(i, s) \delta_i(\tau - s)}{\omega_0(i, 0)} \geq \frac{\omega_0(i, 0) \delta_i(\tau)}{\omega_0(i, 0)} = \delta_i(\tau)$$

for $\forall i \in N$. Hence, for any $i \in N$ and $\tau \leq T - 1$,

$$\delta \geq \sqrt[\tau]{\delta_i(\tau)}. \tag{21}$$

Without loss of generality, we assume δ_N^* is a maximum of $\{\delta_i^*\}_{i \in N}$. Since $\delta < \delta_N^* = \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_N(\tau)}$, there exists T^* such that for any $\tau \geq T^*$, $\delta < \sqrt[\tau]{\delta_N(\tau)}$, which contradicts (21). ■

A.5 Proof of Theorem 3

Proof. Part I We prove part I in two steps. First, we aggregate individuals who share the same u^θ . For each $\theta \in \Theta$, $I^\theta := \{i \in N : u_i = u^\theta\}$ is called a “family,” which is the set of i 's whose instantaneous utility functions are u^θ . By Corollary 2, we know that for each θ and

each $\delta > \min_{i \in I_\theta} \delta_i^*$, there exists a sequence of weights $(\omega_t(i, s))_{t \in T, i \in I_\theta, s \geq t}$ such that

$$U_t^\theta(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u^\theta(p_\tau) = \sum_{s=t}^T \sum_{i \in I_\theta} \omega_t(i, s) U_{i,s}(\mathbf{p}).$$

for each $t \in T$. Now, we have $|\Theta|$ exponential discounting expected utility functions U_t^θ 's with linearly independent instantaneous utility functions u^θ 's.

Next, we apply Proposition 3 to aggregate U_t^θ 's. It follows immediately that if $\delta > \max_{\theta \in \Theta} \min_{i \in I_\theta} \delta_i^*$, the planner is intergenerationally Pareto and strongly non-dictatorial.

Part II We prove its contrapositive. Suppose there exists an intergenerationally Pareto planner with the social discount factor $\delta < \delta_{\max\min}^*$. By intergenerational Pareto, for each $t \in T$, there exists a finite sequence of positive numbers $(\omega_t(i, s))_{i \in N, s \geq t}$ such that the following equality holds:

$$\delta^{\tau-t} u(p_\tau) = \sum_{\theta \in \Theta} \sum_{i \in I_\theta} \sum_{s=t}^{\tau} \omega_t(i, s) \delta_i(\tau - s) u^\theta(p_\tau). \quad (22)$$

for each $t \in T$ and $\tau \geq t$.

By letting $\tau = t$ in equation (22), we have

$$u(p_t) = \sum_{\theta \in \Theta} \sum_{i \in I_\theta} \omega_t(i, t) u^\theta(p_t). \quad (23)$$

Recall that u is a strict convex combination of $(u_i)_{i \in N}$. Equation (23) shows that $\sum_{\theta \in I_\theta} \omega_t(i, t) > 0$ for each θ . Combining equations (22) and (23), we have

$$\sum_{\theta \in \Theta} \sum_{i \in I_\theta} \delta^{\tau-t} \omega_t(i, t) u^\theta(p_\tau) = \sum_{\theta \in \Theta} \sum_{i \in I_\theta} \sum_{s=t}^{\tau} \omega_t(i, s) \delta_i(\tau - s) u^\theta(p_\tau).$$

Since $(u^\theta)_{i=1}^\Theta$ is linearly independent, the above equation is equivalent to

$$\sum_{i \in I_\theta} \delta^{\tau-t} \omega_t(i, t) = \sum_{i \in I_\theta} \sum_{s=t}^{\tau} \omega_t(i, s) \delta_i(\tau - s)$$

for $\forall \theta \in \Theta$. Rearranging the above equation, we obtain

$$\delta^{\tau-t} = \frac{\sum_{i \in I_\theta} \sum_{s=t}^{\tau} \omega_t(i, s) \delta_i(\tau - s)}{\sum_{i \in I_\theta} \omega_t(i, t)} > \frac{\sum_{i \in I_\theta} \omega_t(i, t) \delta_i(\tau - t)}{\sum_{i \in I_\theta} \omega_t(i, t)}. \quad (24)$$

Letting τ go to infinity, it is easy to see that (24) becomes $\delta \geq \min_{i \in I_\theta} \delta_i^*$ for $\forall \theta \in \Theta$.

Hence, $\delta \geq \max_{\theta \in \Theta} \min_{i \in I_\theta} \delta_i^* = \delta_{\max \min}^*$. ■

A.6 Preliminaries of Lemma 2

The proof of Lemma 2 uses a generalization of Farkas' lemma for dual pairs due to Craven and Koliha (1977). To state the generalized Farkas' lemma, we first introduce some definitions.

A dual pair is 3-tuple (A, A', ϕ) consisting of two vector spaces A and A' and a function $\phi : A \times A' \rightarrow \mathbb{R}$ such that (i) ϕ is bilinear, (ii) if $\phi(a, a') = 0$ for any $a \in A$, then $a' = 0$, and (iii) if $\phi(a, a') = 0$ for any $a' \in A'$, then $a = 0$. Properties (ii) and (iii) are called the separation properties. The weak topology of A is characterized by the following: A sequence $(a_n)_{n=1}^\infty$ of A converges to $a \in A$ if and only if $\phi(a_n, a')$ converges to $\phi(a, a')$ for any $a' \in A'$. The weak topology of A' is similarly defined. A nonempty subset $S \subset A$ is a convex cone if $\alpha a + \beta b \in S$ for any $\alpha, \beta \geq 0$ and $a, b \in S$. We use S' to denote the anticone of the convex cone, in which $S' := \{a' \in A' : \phi(a, a') \geq 0 \text{ for any } a \in S\}$.

Suppose (A, A', ϕ) and (B, B', φ) are dual pairs and $\psi : A \rightarrow B$ is a continuous linear map. Then, $\psi' : B' \rightarrow A'$ is the topological adjoint of ψ if

$$\phi(a, \psi'(b')) = \varphi(\psi(a), b')$$

for any $a \in A$ and $b' \in B'$. Below we state Craven and Koliha's Theorem 2.

Theorem 5 (Craven and Koliha (1977)) *Let (A, A', ϕ) and (B, B', φ) be dual pairs, let S be a convex cone in A , and let $\psi : A \rightarrow B$ be a continuous linear map. If $\psi(S)$ is closed in the weak topology and $b \in B$, the following statements are equivalent:*

1. The equation $\psi(a) = b$ has a solution $a \in S$;

2. $\psi'(b') \in S' \Rightarrow \varphi(b, b') \geq 0$.

A.7 Proof of Lemma 2

Proof. The if part is straightforward to verify.

Only-If Part Suppose the generation- t individual i 's utility function is $U_{i,t}(\mathbf{p}) = \sum_{\tau=t}^{\infty} \delta_i(\tau - t)u_i(p_\tau)$, the planner's utility function is $U_t(\mathbf{p}) = \sum_{\tau=t}^{\infty} \delta_t(\tau - t)u_t(p_\tau, \tau)$, and intergenerational Pareto holds. To apply Theorem 5, let $A = \ell^1$, $A' = \ell^\infty$, $B = C_b(X^\infty)$, and $B' = ca(X^\infty)$, in which ℓ^1 is the set of absolutely summable sequences, ℓ^∞ is the set of bounded sequences, $C_b(X^\infty)$ is the set of continuous and bounded functions on X^∞ , and $ca(X^\infty)$ is the set of countably additive signed measures on X^∞ . Note that since X is compact, X^∞ is also compact in the product topology. The norm of A' and B is the sup norm, and the norm of B' is the total variation. By defining

$$\phi(a, a') = \sum_{n=1}^{\infty} a_n a'_n$$

and

$$\varphi(b, b') = \int_{X^\infty} b db'$$

for any $a \in A$, $a' \in A'$, $b \in B$, and $b' \in B'$, (A, A', ϕ) and (B, B', φ) are dual pairs (page 211 of Aliprantis and Border (2006)).

For any sequence $\vec{\omega}_t = (\omega_t(1, t), \dots, \omega_t(N, t), \omega_t(1, t+1), \dots, \omega_t(N, t+1), \dots) \in \ell^1$, define a function $\psi : A \rightarrow B$ such that

$$\psi(\vec{\omega}_t)(\mathbf{x}) = \sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t(i, s) U_{i,s}(\mathbf{x}) \quad (25)$$

for any $\mathbf{x} = (x_1, x_2, \dots) \in X^\infty$. In the main text, $U_{i,s}$ is defined on $\Delta(X)^\infty$ when $T = \infty$. Here, we restrict attention to degenerate lotteries of $\Delta(X)^\infty$. We claim that $(U_{i,s}(\mathbf{x}))_{i \in N, s \geq t} \in$

ℓ^∞ and hence $\psi(\vec{\omega}_t)(\mathbf{x})$ is well defined. We prove this claim when we prove that ψ is a continuous function later.

We want to verify that ψ is continuous and maps from A to B . Then, let $S = \{a \in A : a \geq 0\}$. We want to verify that $\psi(S)$ is closed in weak topology. After verifying them, we apply Theorem 5.

Step 1 First, we show that $\psi(\vec{\omega}_t)$ is a continuous function on X^∞ . The product topology of X^∞ is metrizable. For any $\mathbf{x}, \mathbf{y} \in X^\infty$,

$$\pi(\mathbf{x}, \mathbf{y}) := \sup_{\tau} \left\{ \frac{\min\{\|x_\tau - y_\tau\|, 1\}}{\tau} \right\}$$

induces the product topology on X^∞ , in which $X \subset \mathbb{R}^m$ and $\|\cdot\|$ is the Euclidean metric of \mathbb{R}^m (page 125 of Munkres (2000)). Intuitively, when \mathbf{x} and \mathbf{y} are close, x_τ and y_τ are close when τ is small, but x_τ and y_τ can be far apart when τ is large. We need to show that when γ is small enough, if $\pi(\mathbf{x}, \mathbf{y}) < \gamma$, then $|\psi(\vec{\omega}_t)(\mathbf{x}) - \psi(\vec{\omega}_t)(\mathbf{y})|$ is small enough. Without loss of generality, let $\gamma < 1$. Then, $\pi(\mathbf{x}, \mathbf{y}) < \gamma$ implies that $\|x_\tau - y_\tau\| < \tau\gamma$ for $\tau \leq 1/\gamma$. For $\tau > 1/\gamma$, x_τ and y_τ can be far apart.

Pick some $\varepsilon^{(1)}, \varepsilon^{(2)}, \varepsilon^{(3)} > 0$ that can be arbitrarily small. Since $\vec{\omega}_t \in \ell^1$, $(\delta_i(\tau))_{\tau=0}^\infty \in \ell^1$, and N is finite, there exists some $\varsigma^{(1)}, \varsigma^{(2)}$ such that $\sum_{s=\varsigma^{(1)}}^\infty \sum_{i=1}^N \omega_t(i, s) < \varepsilon^{(1)}$ and $\sum_{\tau=\varsigma^{(2)}}^\infty \delta_i(\tau - s) < \varepsilon^{(2)}$ for each $i \in N$. Now, let γ be chosen so that

$$\|x_\varsigma - y_\varsigma\| < \max\{\varsigma^{(1)}, \varsigma^{(2)}\} \cdot \gamma < \varepsilon^{(3)}. \quad (26)$$

Note that $\varsigma^{(1)}$ depends on $\varepsilon^{(1)}$, but not on $\varepsilon^{(2)}$ and $\varepsilon^{(3)}$. Similarly, $\varsigma^{(2)}$ depends on $\varepsilon^{(2)}$, but

not on $\varepsilon^{(1)}$ and $\varepsilon^{(3)}$. Then,

$$\begin{aligned}
|\psi(\vec{\omega}_t)(\mathbf{x}) - \psi(\vec{\omega}_t)(\mathbf{y})| &= \left| \sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t(i, s) U_{i,s}(\mathbf{x}) - \sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t(i, s) U_{i,s}(\mathbf{y}) \right| \\
&\leq \sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t(i, s) \cdot |U_{i,s}(\mathbf{x}) - U_{i,s}(\mathbf{y})| \\
&\leq \sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t(i, s) \left[\sum_{\tau=s}^{\infty} \delta_i(\tau - s) \cdot |u_i(x_\tau) - u_i(y_\tau)| \right] \\
&\leq \sum_{s=t}^{\zeta^{(1)}} \sum_{i=1}^N \omega_t(i, s) \left[\sum_{\tau=s}^{\infty} \delta_i(\tau - s) \cdot |u_i(x_\tau) - u_i(y_\tau)| \right] \\
&\quad + \sum_{s=\zeta^{(1)}}^{\infty} \sum_{i=1}^N \omega_t(i, s) \left[\sum_{\tau=s}^{\infty} \delta_i(\tau - s) \cdot |u_i(x_\tau) - u_i(y_\tau)| \right].
\end{aligned}$$

Since u_i is continuous on a compact set, u_i is uniformly continuous and u_i is bounded by $\frac{1}{2}v > 0$ for any $i \in N$ for some $v > 0$. Thus,

$$\sum_{s=\zeta^{(1)}}^{\infty} \sum_{i=1}^N \omega_t(i, s) \left[\sum_{\tau=s}^{\infty} \delta_i(\tau - s) \cdot |u_i(x_\tau) - u_i(y_\tau)| \right] < v\varepsilon^{(1)} \cdot \left(\sum_{\tau=0}^{\infty} \delta_i(\tau) \right).$$

Then,

$$\begin{aligned}
&\sum_{s=t}^{\zeta^{(1)}} \sum_{i=1}^N \omega_t(i, s) \left[\sum_{\tau=s}^{\infty} \delta_i(\tau - s) \cdot |u_i(x_\tau) - u_i(y_\tau)| \right] \\
&= \sum_{s=t}^{\zeta^{(1)}} \sum_{i=1}^N \omega_t(i, s) \left[\begin{aligned} &\sum_{\tau=s}^{\zeta^{(2)}} \delta_i(\tau - s) \cdot |u_i(x_\tau) - u_i(y_\tau)| \\ &+ \sum_{\tau=\zeta^{(2)}}^{\infty} \delta_i(\tau - s) \cdot |u_i(x_\tau) - u_i(y_\tau)| \end{aligned} \right].
\end{aligned}$$

We know that

$$\sum_{\tau=\zeta^{(2)}}^{\infty} \delta_i(\tau - s) \cdot |u_i(x_\tau) - u_i(y_\tau)| < \varepsilon^{(2)}v$$

and hence

$$\sum_{s=t}^{\zeta^{(1)}} \sum_{i=1}^N \omega_t(i, s) \left[\sum_{\tau=\zeta^{(2)}}^{\infty} \delta_i(\tau - s) \cdot |u_i(x_\tau) - u_i(y_\tau)| \right] < \varepsilon^{(2)}v \sum_{s=t}^{\zeta^{(1)}} \sum_{i=1}^N \omega_t(i, s).$$

Since u_i is uniformly continuous on X , if $\|x_\tau - y_\tau\| < \varepsilon^{(3)}$, $|u_i(x_\tau) - u_i(y_\tau)| < \varepsilon^{(3)}$, in which $\varepsilon^{(3)}$ can be arbitrarily small as $\varepsilon^{(3)}$ gets arbitrarily small. Then,

$$\begin{aligned} & \sum_{s=t}^{\zeta^{(1)}} \sum_{i=1}^N \omega_t(i, s) \left[\sum_{\tau=s}^{\zeta^{(2)}} \delta_i(\tau - s) \cdot |u_i(x_\tau) - u_i(y_\tau)| \right] \\ & \leq \varepsilon^{(3)} \cdot \sum_{s=t}^{\zeta^{(1)}} \sum_{i=1}^N \omega_t(i, s) \cdot \sum_{\tau=s}^{\zeta^{(2)}} \delta_i(\tau - s). \end{aligned}$$

Thus,

$$\begin{aligned} |\psi(\vec{\omega}_t)(\mathbf{x}) - \psi(\vec{\omega}_t)(\mathbf{y})| & < v\varepsilon^{(1)} \cdot \left(\sum_{\tau=0}^{\infty} \delta_i(\tau) \right) + \varepsilon^{(2)} v \sum_{s=t}^{\zeta^{(1)}} \sum_{i=1}^N \omega_t(i, s) \quad (27) \\ & + \varepsilon^{(3)} \cdot \sum_{s=t}^{\zeta^{(1)}} \sum_{i=1}^N \omega_t(i, s) \cdot \sum_{\tau=s}^{\zeta^{(2)}} \delta_i(\tau - s). \end{aligned}$$

We first pick a small $\varepsilon^{(1)}$, which guarantee the first term of the right-hand side of (27) is arbitrarily small. By picking $\varepsilon^{(1)}$, $\zeta^{(1)}$ is determined. Then, we choose a small $\varepsilon^{(2)}$ to make the second term of the right-hand side of (27) to be small. This step does not affect the first term of the right-hand side of (27). By choosing a small $\varepsilon^{(3)}$, we make sure that the last term of the right-hand side of (27) is also arbitrarily small. This step does not affect the first two terms of the right-hand side of (27), and γ is pinned down by $\varepsilon^{(1)}$, $\varepsilon^{(2)}$, and $\varepsilon^{(3)}$ via equation (26). Thus, we know that $\psi(\vec{\omega}_t) : X^\infty \rightarrow \mathbb{R}$ is a continuous function.

Step 2 Next, we show that $\psi : A \rightarrow B$ is continuous. Let $\psi^\# : B^\# \rightarrow A^\#$ be the algebraic dual of ψ such that $\phi(a, \psi^\#(b^\#)) = \varphi(\psi(a), b^\#)$ for any $a \in A$ and $b^\# \in B^\#$, in which $A^\#$ and $B^\#$ are the algebraic duals of A and B respectively, and ϕ and φ are similarly defined for $A, A^\#$ and $B, B^\#$ respectively. It is known that ψ' is identical to the restriction of $\psi^\#$ to B' , and that to show that $\psi : A \rightarrow B$ is continuous, it suffices to show that $\psi^\#(B') \subset A'$,

that is, $\psi^\#(ca(X^\infty)) \subset \ell^\infty$. For any $\mu \in B'$ and $\vec{\omega}_t \in A$,

$$\begin{aligned}
\phi(\vec{\omega}_t, \psi^\#(\mu)) &= \varphi(\psi(\vec{\omega}_t), \mu) \\
&= \int_{X^\infty} \psi(\vec{\omega}_t) d\mu \\
&= \int_{X^\infty} \left(\sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t(i, s) U_{i,s}(\mathbf{x}) \right) d\mu \\
&= \sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t(i, s) \left[\int_{X^\infty} U_{i,s}(\mathbf{x}) d\mu \right]
\end{aligned}$$

The last equality is by the Fubini–Tonelli theorem. By applying the Fubini–Tonelli theorem again,

$$\begin{aligned}
\int_{X^\infty} U_{i,s}(\mathbf{x}) d\mu &= \int_{X^\infty} \sum_{\tau=s}^{\infty} \delta_i(\tau - s) u_i(x_\tau) d\mu \\
&= \sum_{\tau=s}^{\infty} \left[\delta_i(\tau - s) \int_{X^\infty} u_i(x_\tau) d\mu \right].
\end{aligned} \tag{28}$$

To understand $\int_{X^\infty} u_i(x_\tau) d\mu$, think of $u_i(x_\tau)$ as a function defined on X^∞ that only depends on the τ^{th} component of \mathbf{x} , x_τ . Then, $\int_{X^\infty} u_i(x_\tau) d\mu = \int_X u_i(x_\tau) dp_\tau$ in which p_τ is μ 's marginal distribution on x_τ . Since u_i is continuous on a compact set, $\int_{X^\infty} u_i(x_\tau) d\mu$ is bounded above by $\max_{x \in X} u_i(x)$ and below by $\min_{x \in X} u_i(x)$. Therefore, $\int_{X^\infty} U_{i,s}(\mathbf{x}) d\mu$ is bounded above by

$$\sum_{\tau=s}^{\infty} \delta_i(\tau - s) \max_{x \in X} u_i(x) = \max_{x \in X} u_i(x) \sum_{\tau=0}^{\infty} \delta_i(\tau)$$

and below by

$$\sum_{\tau=s}^{\infty} \delta_i(\tau - s) \min_{x \in X} u_i(x) = \min_{x \in X} u_i(x) \sum_{\tau=0}^{\infty} \delta_i(\tau),$$

because $(\delta_i(\tau))_{\tau=0}^\infty \in \ell^1$. Both bounds only depend on i . Therefore,

$$\phi(\vec{\omega}_t, \psi^\#(\mu)) = \phi(\vec{\omega}_t, a'),$$

in which

$$a' = \left(\begin{array}{c} \int_{X^\infty} U_{1,t}(\mathbf{x}) d\mu, \int_{X^\infty} U_{2,t}(\mathbf{x}) d\mu, \dots, \int_{X^\infty} U_{N,t}(\mathbf{x}) d\mu, \\ \int_{X^\infty} U_{1,t+1}(\mathbf{x}) d\mu, \int_{X^\infty} U_{2,t+1}(\mathbf{x}) d\mu, \dots, \int_{X^\infty} U_{N,t+1}(\mathbf{x}) d\mu, \\ \dots \end{array} \right) \in \ell^\infty.$$

Hence, ψ is continuous. Note that the two bounds above also show that $(U_{i,s}(\mathbf{x}))_{i \in N, s \geq t} \in \ell^\infty$ for each $\mathbf{x} \in X^\infty$, which proves our claim that $\psi(\vec{\omega}_t)(\mathbf{x})$ is well defined.

Step 3 We show that $\psi(S)$ is closed in weak topology (induced by $ca(X^\infty)$). Since S is convex and ψ is linear, $\psi(S) \subset C_b(X)$ is convex. When X^∞ is compact, the topological dual of $C_b(X^\infty)$ is $ca(X^\infty)$. It is known that a convex set of a normed space ($C_b(X^\infty)$ with the sup norm) is closed in the norm topology if and only if it is closed in the weak topology induced by the topological dual. Therefore, we only need to show that $\psi(S)$ is closed in the norm topology. Take a sequence $(f^{(n)})_{n=1}^\infty$ of $\psi(S)$ such that $f^{(n)} \in \psi(S)$ converges to $f \in C_b(X^\infty)$ in sup norm. Convergence in sup norm implies pointwise convergence; that is, for any $\mathbf{x} \in X^\infty$, $f^{(n)}(\mathbf{x})$ converges to $f(\mathbf{x})$. Since $f^{(n)}$'s are functions on a compact set X^∞ , by the Arzelà–Ascoli theorem, sup norm convergence implies that $(f^{(n)})_{n=1}^\infty$ is equicontinuous.

Below, we want to show that $f \in \psi(S)$; that is, there exists some $\vec{\omega}_t \in S$ such that $f = \psi(\vec{\omega}_t)$. Since $f^{(n)} \in \psi(S)$, there exists an $\vec{\omega}_t^{(n)} \in S$ such that

$$f^{(n)} = \sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t^{(n)}(i, s) U_{i,s}.$$

Step 3-1 We first show that such an $\vec{\omega}_t^{(n)} \in S$ is unique. Suppose there exists another $\vec{\omega}_t^{(n)} \in S$ such that

$$f^{(n)} = \sum_{s=t}^{\infty} \sum_{i=1}^N \varpi_t^{(n)}(i, s) U_{i,s}.$$

Suppose the smallest $s \geq t$ such that $\vec{\omega}_t^{(n)}$ and $\vec{\varpi}_t^{(n)}$ differ is \hat{s} . Consider the following element

of X^∞ ,

$$\mathbf{x}^{(y, \hat{s})} = \underbrace{(x_*, \dots, x_*)}_{(\hat{s}-1) \text{ times}}, y, x_*, x_*, \dots,$$

for any $y \in \Delta(X)$. Note that $U_{i,s}(\mathbf{x})$ depends on x_τ only if $\tau \geq s$. Because $u_i(x_*) = 0$,

$$\begin{aligned} f^{(n)}(\mathbf{x}^{(y, \hat{s})}) &= \sum_{s=t}^{\hat{s}} \sum_{i=1}^N \omega_t^{(n)}(i, s) U_{i,s}(\mathbf{x}^{(y, \hat{s})}) \\ &= \sum_{s=t}^{\hat{s}} \sum_{i=1}^N \varpi_t^{(n)}(i, s) U_{i,s}(\mathbf{x}^{(y, \hat{s})}). \end{aligned}$$

Since $\vec{\omega}_t^{(n)}(i, s)$ and $\vec{\varpi}_t^{(n)}(i, s)$ coincide for any $s < \hat{s}$, we know that

$$\begin{aligned} \sum_{i=1}^N \omega_t^{(n)}(i, \hat{s}) U_{i, \hat{s}}(\mathbf{x}^{(y, \hat{s})}) &= \sum_{i=1}^N \varpi_t^{(n)}(i, \hat{s}) U_{i, \hat{s}}(\mathbf{x}^{(y, \hat{s})}) \\ \sum_{i=1}^N \omega_t^{(n)}(i, \hat{s}) u_i(y) &= \sum_{i=1}^N \varpi_t^{(n)}(i, \hat{s}) u_i(y) \end{aligned}$$

for any $y \in \Delta(X)$. Since $(u_i)_{i \in N}$ is linearly independent, the equality above holds for any $y \in \Delta(X)$ if and only if $\omega_t^{(n)}(i, \hat{s}) = \varpi_t^{(n)}(i, \hat{s})$ for every $i \in N$, which is a contradiction.

Therefore, we have a sequence $(\vec{\omega}_t^{(n)})_{n=1}^\infty$ of S such that $\psi(\vec{\omega}_t^{(n)}) = f^{(n)}$. We want to find some $\vec{\omega}_t$ in ℓ^1 such that $\psi(\vec{\omega}_t) = f$.

Step 3-2 We construct each $\vec{\omega}_t^{(n)}$ from $f^{(n)}$. First, we claim that there exists an N -tuple $(y_i)_{i=1}^N$ in X such that $\text{rank}(B) = N$, in which B is an $N \times N$ matrix

$$\begin{pmatrix} u_1(y_1) & u_2(y_1) & \dots & u_N(y_1) \\ u_1(y_2) & u_2(y_2) & \dots & u_N(y_2) \\ \vdots & \vdots & \ddots & \vdots \\ u_1(y_N) & u_2(y_N) & \dots & u_N(y_N) \end{pmatrix}.$$

Note that B does not depend on time or n .

To find y_1 , let $y_1 = x^*$. Let B_1 denote a $1 \times N$ matrix that consists of the first row of

B with $y_1 = x^*$. Clearly, B_1 has rank 1. Suppose we have found $y_1, \dots, y_{k-1} \in X$ such that B_{k-1} is a $(k-1) \times N$ matrix that consists of the first $(k-1)$ rows of B and has rank $1 \leq k-1 < N$. We claim that we can find $y_k \in X$ such that the matrix B_k is a $k \times N$ matrix that consists of the first k rows of B and has rank k . Suppose not; that is, for any $y_k \in X$, $\text{rank}(B_k) = \text{rank}(B_{k-1}) = k-1$. This implies that for any $y_k \in X$, there exists $\lambda_1(y_k), \dots, \lambda_{k-1}(y_k) \in \mathbb{R}$ such that

$$(u_1(y_k), \dots, u_N(y_k)) = \sum_{j=1}^{k-1} \lambda_j(y_k) \cdot (u_1(y_j), \dots, u_N(y_j));$$

that is, the k^{th} row of B_k can be written as a linear combination of the first $(k-1)$ rows of B_k .

Consider the homogeneous system of linear equations, $\sum_{i=1}^N \tilde{\lambda}_i u_i(y_j) = 0$, $j = 1, \dots, k-1$. Since there are N unknown variables ($\tilde{\lambda}_i$'s) but only $k-1$ equations and $k-1 < N$, the system always has some nontrivial solution $(\tilde{\lambda}_i)_{i=1}^N$. Therefore,

$$\begin{aligned} \sum_{i=1}^N \tilde{\lambda}_i u_i(y_k) &= \sum_{i=1}^N \left[\tilde{\lambda}_i \sum_{j=1}^{k-1} \lambda_j(y_k) u_i(y_j) \right] \\ &= \sum_{j=1}^{k-1} \lambda_j(y_k) \sum_{i=1}^N \tilde{\lambda}_i u_i(y_j) = 0 \end{aligned}$$

for any $y_k \in X$, which contradicts the assumption that $(u_i)_{i \in N}$ is linearly independent. Therefore, we can find an N -tuple $(y_i)_{i=1}^N$ in X such that the $N \times N$ matrix B has full rank.

Step 3-3 We first construct each $\vec{\omega}_t^{(n)}$ from $f^{(n)}$ via the matrix B constructed above.

Note that

$$\begin{aligned} f^{(n)}(\mathbf{x}^{(y_k, t)}) &= \sum_{i=1}^N \sum_{\tau=t}^{\infty} \omega_t^{(n)}(i, \tau) U_{i,s}(\mathbf{x}^{(y_k, t)}) \\ &= \sum_{i=1}^N \omega_t^{(n)}(i, t) u_i(y_k), \end{aligned}$$

in which $\mathbf{x}^{(y_k, s)} = (\underbrace{x_*, \dots, x_*}_{(s-1) \text{ times}}, y_k, x_*, x_*, \dots)$ as defined previously, and y_k 's are the elements of X that we find when constructing B . Therefore,

$$\begin{pmatrix} u_1(y_1) & \dots & u_N(y_1) \\ \vdots & \ddots & \vdots \\ u_1(y_N) & \dots & u_N(y_N) \end{pmatrix} \begin{pmatrix} \omega_t^{(n)}(1, t) \\ \vdots \\ \omega_t^{(n)}(N, t) \end{pmatrix} = \begin{pmatrix} f^{(n)}(\mathbf{x}^{(y_1, t)}) \\ \vdots \\ f^{(n)}(\mathbf{x}^{(y_N, t)}) \end{pmatrix},$$

in which the first matrix of the left-hand side is B . Hence,

$$\begin{pmatrix} \omega_t^{(n)}(1, t) \\ \vdots \\ \omega_t^{(n)}(N, t) \end{pmatrix} = B^{-1} \begin{pmatrix} f^{(n)}(\mathbf{x}^{(y_1, t)}) \\ \vdots \\ f^{(n)}(\mathbf{x}^{(y_N, t)}) \end{pmatrix}. \quad (29)$$

Since $f^{(n)}$ converges, by letting n go to infinity, we define $\omega_t(i, t)$ as the limit of $\omega_t^{(n)}(i, t)$. From (29), we know that $\omega_t^{(n)}(i, t)$ is a linear combination of $(f^{(n)}(\mathbf{x}^{(y_k, t)}))_{k \in N}$ that takes the following form:

$$\omega_t^{(n)}(i, t) = \sum_{k=1}^N \sum_{\tau=t}^t \zeta_t^{(i, t)}(k, \tau) \cdot f^{(n)}(\mathbf{x}^{(y_k, \tau)}).$$

It is important to note that for any $i \in N$, $(\zeta_t^{(i, t)}(k, \tau))_{k \in N, \tau=t}$ is independent of n . The reason why there is a redundant summation (τ from t to t) will become clear once we move on to $\omega_t^{(n)}(i, s)$.

Next, because

$$\begin{aligned} f^{(n)}(\mathbf{x}^{(y_k, s)}) &= \sum_{i=1}^N \sum_{\tau=t}^{\infty} \omega_t^{(n)}(i, \tau) U_{i, s}(\mathbf{x}^{(y_k, s)}) \\ &= \sum_{i=1}^N \sum_{\tau=t}^s \omega_t^{(n)}(i, \tau) \delta_i(s - \tau) u_i(y_k). \end{aligned}$$

Therefore,

$$\begin{aligned}
\begin{pmatrix} \omega_t^{(n)}(1, s) \\ \vdots \\ \omega_t^{(n)}(N, s) \end{pmatrix} &= B^{-1} \begin{pmatrix} f^{(n)}(\mathbf{x}^{(y_1, s)}) - \sum_{i \in N} \sum_{\tau=t}^{s-1} \omega_t^{(n)}(i, \tau) \delta_i(s - \tau) u_i(y_1) \\ \vdots \\ f^{(n)}(\mathbf{x}^{(y_N, s)}) - \sum_{i \in N} \sum_{\tau=t}^{s-1} \omega_t^{(n)}(i, \tau) \delta_i(s - \tau) u_i(y_N) \end{pmatrix} \\
&= B^{-1} \begin{pmatrix} f^{(n)}(\mathbf{x}^{(y_1, s)}) \\ \vdots \\ f^{(n)}(\mathbf{x}^{(y_N, s)}) \end{pmatrix} - B^{-1} \begin{pmatrix} \sum_{i \in N} \sum_{\tau=t}^{s-1} \omega_t^{(n)}(i, \tau) \delta_i(s - \tau) u_i(y_1) \\ \vdots \\ \sum_{i \in N} \sum_{\tau=t}^{s-1} \omega_t^{(n)}(i, \tau) \delta_i(s - \tau) u_i(y_N) \end{pmatrix}
\end{aligned}$$

Again, since $f^{(n)}$ converges, by letting n go to infinity, we define $\omega_t(i, s)$ as the limit of $\omega_t^{(n)}(i, s)$. Recursively, we also know that $\omega_t^{(n)}(i, s)$ is a linear combination of $(f^{(n)}(\mathbf{x}^{(y_k, \tau)}))_{k \in N, t \leq \tau \leq s}$ that takes the following form:

$$\omega_t^{(n)}(i, s) = \sum_{k=1}^N \sum_{\tau=t}^s \zeta_t^{(i, s)}(k, \tau) \cdot f^{(n)}(\mathbf{x}^{(y_k, \tau)}).$$

It is important to note that for any $i \in N$ and $s \geq t$, $(\zeta_t^{(i, s)}(k, \tau))_{k \in N, t \leq \tau \leq s}$ is independent of n .

We have found the $\vec{\omega}_t$ such that $\omega_t(i, s) = \lim_{n \rightarrow \infty} \omega_t^{(n)}(i, s)$; that is, $\omega_t^{(n)}$ converges to ω_t “pointwisely.” We can show that $\vec{\omega}_t = (\omega_t(i, s))_{i \in N, s \geq t} \in \ell^1$. Consider $x^* = (x^*, x^*, \dots) \in X^\infty$. Since $u_i(x^*) = 1$,

$$f^{(n)}(\mathbf{x}^*) = \sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t^{(n)}(i, s) \cdot \sum_{\tau=0}^{\infty} \delta_i(\tau).$$

Since $f^{(n)}(\mathbf{x}^*)$ converges to $f(\mathbf{x}^*)$, we know that there exists some $\rho > 0$ such that $f^{(n)}(\mathbf{x}^*) \leq \rho$ for any $n \in \mathbb{N}$. Because $\sum_{\tau=0}^{\infty} \delta_i(\tau) > 1$,

$$\sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t^{(n)}(i, s) \leq \rho$$

for any $n \in \mathbb{N}$. Thus, for any fixed $n' \in \mathbb{N}$, $\sum_{s=t}^{n'} \sum_{i \in N} \omega_t^{(n)}(i, s) \leq \rho$. Let n go to infinity, we know that $\sum_{s=t}^{n'} \sum_{i \in N} \omega_t(i, s) \leq \rho$. Since $\sum_{s=t}^{n'} \sum_{i \in N} \omega_t(i, s) \leq \rho$ for any $n' \in \mathbb{N}$, we know that $\sum_{s=t}^{\infty} \sum_{i \in N} \omega_t(i, s) \leq \rho$, which means $\vec{\omega}_t \in \ell^1$.

Step 3-4 We want to show that $\vec{\omega}_t^{(n)}$ converges in ℓ^1 . If we can show this, $\vec{\omega}_t^{(n)}$'s limit must be $\vec{\omega}_t$. Then, because ψ is continuous, $\psi(\vec{\omega}_t^{(n)}) = f^{(n)}$, and $f^{(n)}$ converges to f , we know that $\psi(\vec{\omega}_t) = f$, which completes the proof of Step 3. Because ℓ^1 is complete, to show that $\vec{\omega}_t^{(n)}$ converges in ℓ^1 , we only need to show that $(\vec{\omega}_t^{(n)})_{n=1}^{\infty}$ is a Cauchy sequence; that is, for any $\varepsilon > 0$, there exists some $\kappa > 0$ such that for any $n, \tilde{n} \geq \kappa$,

$$\sum_{i=1}^N \sum_{s=t}^{\infty} \left| \omega_t^{(n)}(i, s) - \omega_t^{(\tilde{n})}(i, s) \right| < \varepsilon. \quad (30)$$

Let $\mathbf{x}^{(*,s)} = (\underbrace{x^*, \dots, x^*}_{s \text{ times}}, x_*, x_*, \dots)$. Recall that for any $\mathbf{x}, \mathbf{y} \in X^\infty$, the metric of X^∞ is

$$\pi(\mathbf{x}, \mathbf{y}) := \sup_{\tau} \left\{ \frac{\min\{\|x_\tau - y_\tau\|, 1\}}{\tau} \right\}.$$

Therefore, when s is large, \mathbf{x}^* and $\mathbf{x}^{(*,s)}$ are close.

Note that for any $\varepsilon' > 0$, there exists some $\kappa' > 0$ such that for any $\tilde{\kappa}' \geq \kappa'$,

$$|f^{(n')}(\mathbf{x}^*) - f^{(n')}(\mathbf{x}^{(*,\tilde{\kappa}'})| < \varepsilon'$$

for any n' , because $(f^{(n)})_{n=1}^{\infty}$ is equicontinuous. Then,

$$\begin{aligned} \varepsilon' &> |f^{(n')}(\mathbf{x}^*) - f^{(n')}(\mathbf{x}^{(*,\tilde{\kappa}'})| \\ &= \left| \sum_{i=1}^N \sum_{s=t}^{\infty} \omega_t^{(n')}(i, s) U(\mathbf{x}^*) - \sum_{i=1}^N \sum_{s=t}^{\infty} \omega_t^{(n')}(i, s) U(\mathbf{x}^{(*,\tilde{\kappa}'}) \right| \\ &= \left| \sum_{i=1}^N \sum_{s=t}^{\infty} \left[\omega_t^{(n')}(i, s) \sum_{\tau=0}^{\infty} \delta_i(\tau) \right] - \sum_{i=1}^N \sum_{s=t}^{\tilde{\kappa}'} \left[\omega_t^{(n')}(i, s) \sum_{\tau=0}^{\tilde{\kappa}'-s} \delta_i(\tau) \right] \right| \\ &\geq \sum_{i=1}^N \sum_{s=\tilde{\kappa}'}^{\infty} \omega_t^{(n')}(i, s). \end{aligned}$$

This shows that for any $\varepsilon' > 0$, there exists $\kappa' > 0$ such that for any $\tilde{\kappa}' \geq \kappa'$ and any n' ,

$$\sum_{i=1}^N \sum_{s=\tilde{\kappa}'}^{\infty} \omega_t^{(n')}(i, s) < \varepsilon'. \quad (31)$$

Back to equation (30). Note that

$$\begin{aligned} \sum_{i=1}^N \sum_{s=t}^{\infty} \left| \omega_t^{(n)}(i, s) - \omega_t^{(\tilde{n})}(i, s) \right| &\leq \sum_{i=1}^N \sum_{s=t}^{\kappa'} \left| \omega_t^{(n)}(i, s) - \omega_t^{(\tilde{n})}(i, s) \right| \\ &+ \sum_{i=1}^N \sum_{s=\kappa'}^{\infty} \omega_t^{(n)}(i, s) + \sum_{i=1}^N \sum_{s=\kappa'}^{\infty} \omega_t^{(\tilde{n})}(i, s). \end{aligned} \quad (32)$$

The second and the third terms of the right-hand side are both less than ε' due to equation (31).

Since $f^{(n)}$ converges to f in sup norm. For any $\varepsilon'' > 0$, there exists κ'' such that if n and \tilde{n} are greater than κ'' , $|f^{(n)}(\mathbf{x}) - f^{(\tilde{n})}(\mathbf{x})| < \varepsilon''$ for any $\mathbf{x} \in X^\infty$. Now, recall that from Step 3-3, we know that

$$\omega_t^{(n)}(i, s) = \sum_{k=1}^N \sum_{\tau=t}^s \zeta_t^{(i,s)}(k, \tau) \cdot f^{(n)}(\mathbf{x}^{(y_k, \tau)}),$$

in which for any $i \in N$ and $s \geq t$, $\left(\zeta_t^{(i,s)}(k, \tau) \right)_{k \in N, t \leq \tau \leq s}$ is independent of n . Therefore, the first term of the right-hand side of (32) becomes

$$\begin{aligned} &\sum_{i=1}^N \sum_{s=t}^{\kappa'} \left| \sum_{k=1}^N \sum_{\tau=t}^s \zeta_t^{(i,s)}(k, \tau) [f^{(n)}(\mathbf{x}^{(y_k, \tau)}) - f^{(\tilde{n})}(\mathbf{x}^{(y_k, \tau)})] \right| \\ &\leq \varepsilon'' \sum_{i=1}^N \sum_{s=t}^{\kappa'} \sum_{k=1}^N \sum_{\tau=t}^s \left| \zeta_t^{(i,s)}(k, \tau) \right|, \end{aligned}$$

as long as n and \tilde{n} are greater than κ'' . The inequality above shows that the first term of the right-hand side of (32) can also be arbitrarily small.

Step 4 Finally, we want to show that the following equation

$$U_t = \sum_{s=t}^{\infty} \sum_{i=1}^N \omega_t(i, s) U_{i,s} = \psi(\vec{\omega}_t) \quad (33)$$

has a nonnegative solution; that is, there exists some $\vec{\omega}_t \in S$ that solves (33). If we can find such an $\vec{\omega}_t$, it must be the case that $\sum_{i=1}^N \sum_{s=t}^{\infty} \omega_t(i, s) > 0$, because of the normalization assumption on expected utility functions. Applying Theorem 5, we know that we can find a nonnegative solution $\vec{\omega}_t$ to (33) if and only if for any $\mu \in B'$,

$$\int_{X^\infty} U_{i,s} d\mu \geq 0 \quad (34)$$

for any $i \in N$ and $s \geq t$ implies $\int_{X^\infty} U_t d\mu \geq 0$.

To see this, first note that by the Hahn–Jordan decomposition theorem, μ can be uniquely decomposed into $\alpha\mu_+ - \beta\mu_-$ in which $\alpha, \beta \geq 0$ and μ_+ and μ_- are probability measures on X^∞ . Thus, (34) becomes

$$\alpha \int_{X^\infty} U_{i,s} d\mu_+ \geq \beta \int_{X^\infty} U_{i,s} d\mu_-$$

for any $i \in N$ and $s \geq t$. Notice that $U_{i,s}$'s are time-additively separable. Again, as in equation (28), probability measures μ_+ and μ_- can be identified with $\mathbf{p} \in \Delta(X)^\infty$ and $\mathbf{q} \in \Delta(X)^\infty$, in which p_τ and q_τ are the marginal distributions of μ_+ and μ_- on x_τ , respectively. Hence, (34) becomes

$$\alpha U_{i,s}(\mathbf{p}) \geq \beta U_{i,s}(\mathbf{q})$$

for any $i \in N$ and $s \geq t$.

Suppose $\alpha \geq \beta$. The other case can be proved in a similar way. Let us use \mathbf{x}_* to denote the sequence (x_*, x_*, \dots) . Since instantaneous utility functions are all normalized,

$U_{i,s}(\mathbf{x}_*) = 0$ for any $i \in N$ and $s \geq t$. Then, (34) becomes

$$U_{i,s}(\mathbf{p}) \geq \frac{\beta}{\alpha} U_{i,s}(\mathbf{q}) + \left(1 - \frac{\beta}{\alpha}\right) U_{i,s}(\mathbf{x}_*)$$

for any $i \in N$ and $s \geq t$. Since $U_{i,s}$'s are time-additively separable, we know that for every $i \in N$ and $s \geq t$, the generation- s individual i prefers \mathbf{p} to $\frac{\beta}{\alpha}\mathbf{q} + (1 - \frac{\beta}{\alpha})\mathbf{x}_*$, in which $\frac{\beta}{\alpha}\mathbf{q} + (1 - \frac{\beta}{\alpha})\mathbf{x}_* \in \Delta(X)^\infty$ is the period-by-period mixture between \mathbf{q} and \mathbf{x}_* . By intergenerational Pareto, this means that

$$\begin{aligned} U_t(\mathbf{p}) &\geq \frac{\beta}{\alpha} U_t(\mathbf{q}) + \left(1 - \frac{\beta}{\alpha}\right) U_t(\mathbf{x}_*) \\ \alpha U_t(\mathbf{p}) &\geq \beta U_t(\mathbf{q}) \\ \int_{X^\infty} U_t d\mu &\geq 0. \end{aligned}$$

Therefore, we know that (33) has a nonnegative solution. ■

A.8 Proof of Theorem 4

Proof. Part I Since u is a strict convex combination of $(u_i)_{i \in N}$, suppose $u = \sum_i \lambda_i u_i$ for some $\lambda_1, \dots, \lambda_N > 0$ such that $\sum_i \lambda_i = 1$. For each $i \in N$ and each $t \in T$, we want to construct a sequence of strictly positive and absolutely summable numbers $(\omega_t(i, s))_{s=t}^\infty$ such that

$$\sum_{s=t}^\infty \omega_t(i, s) U_{i,s}(\mathbf{p}) = \sum_{\tau=t}^\infty \delta^{\tau-t} u_i(p_\tau).$$

If this can be done, then in period t , let $\lambda_i \omega_t(i, s)$ be the planner's utilitarian weight for the generation- s individual i , in which case

$$\sum_{i=1}^N \sum_{s=t}^\infty \lambda_i \omega_t(i, s) U_{i,s}(\mathbf{p}) = \sum_{\tau=t}^\infty \delta^{\tau-t} u(p_\tau) = U_t(\mathbf{p}),$$

which means that the planner is intergenerationally Pareto and strongly non-dictatorial.

Next, we show that the following recursive definition of $(\omega_t(i, s))_{s=t}^\infty$ works: for each $s \geq t$,

$$\omega_t(i, s) = \begin{cases} 1, & \text{if } s = t, \\ \sum_{\sigma=t}^{s-1} [\delta \cdot \delta_i(s - \sigma) - \delta_i(s - \sigma + 1)] \omega_t(i, \sigma), & \text{if } s > t. \end{cases} \quad (35)$$

First, it can be verified that each $\omega_t(i, s)$ is strictly positive, because $\delta > \max_i \delta_i^*$ and the individual relative discount factor is increasing. Second, it can be verified inductively that for any finite τ ,

$$\sum_{s=t}^{\tau} \sum_{i=1}^N \omega_t(i, s) \delta_i(\tau - s) u_i(p_\tau) = \delta^{\tau-t} u(p_\tau)$$

for any $p_\tau \in \Delta(X)$. These two steps are similar to the steps in the proof of Lemma 4. Thus, we only have to show that $(\omega_t(i, s))_{s=t}^\infty$ is summable. Clearly, $\sum_{s=t}^n \omega_t(i, s)$ is increasing in n . If we can show that $\sum_{s=t}^n \omega_t(i, s)$ is bounded above and the bound is a constant, this part of the theorem is proven.

Sum up both sides of equation (35) from $s = t$ to n . We can obtain that

$$1 = \sum_{s=t}^{n-1} \left((1 - \delta) \sum_{\tau=0}^{n-1-s} \delta_i(\tau) + \delta_i(n - s) \right) \omega_t(i, s) + \omega_t(i, n).$$

Because $\sum_{\tau=0}^{n-1-s} \delta_i(\tau) > 1$ and $\delta_i(n - s) > 0$, $(1 - \delta) \sum_{\tau=0}^{n-1-s} \delta_i(\tau) + \delta_i(n - s) > 1 - \delta$, which implies that

$$\begin{aligned} 1 &> \sum_{s=t}^{n-1} (1 - \delta) \omega_t(i, s) + \omega_t(i, n) \\ &> (1 - \delta) \sum_{s=t}^{n-1} \omega_t(i, s). \end{aligned}$$

Therefore, $\sum_{s=t}^{n-1} \omega_t(i, s)$ is bounded above by $1/(1 - \delta)$ for any n .

Part II Without loss of generality, we assume that δ_N^* is the unique maximal of $\{\delta_i^*\}_{i \in N}$. The proof can easily be extended to the case with multiple maxima. We prove the contrapositive of this part. Suppose the planner is intergenerationally Pareto and strongly

non-dictatorial. According to Lemma 1, for each $t \in T$, there exists a sequence of nonnegative numbers $(\omega_t(i, s))_{i \in N, s \geq t}$ such that $U_t = \sum_{i, s} \omega_t(i, s) U_{i, s}$. Hence, equality (16) holds; that is, for and t and $\tau \geq t$,

$$\sum_{s=t}^{\tau} \sum_{i=1}^N \omega_t(i, s) \delta_i(\tau - s) u_i(p_\tau) = \delta^{\tau-t} u(p_\tau).$$

Consider a consumption sequence that yields x^* in every period, (x^*, x^*, \dots) . Then, the equation above becomes

$$\sum_{s=t}^{\tau} \sum_{i=1}^N \omega_t(i, s) \delta_i(\tau - s) = \delta^{\tau-t}.$$

Since u_i 's and u are normalized, we know that for each t , $\sum_{i \in N} \omega_t(i, t) = 1$. Due to the strongly non-dictatorial property, in particular, $\omega_t(N, t) \in (0, 1)$. Then,

$$\begin{aligned} \delta^{\tau-t} &= \sum_{s=t}^{\tau} \sum_{i=1}^N \omega_t(i, s) \delta_i(\tau - s) \\ &> \omega_t(N, t) \delta_N(\tau - t). \end{aligned}$$

Therefore, $\delta > \sqrt[\tau-t]{\omega_t(N, t) \delta_N(\tau - t)}$ for every τ implies that $\delta \geq \delta_N^*$. ■

A.9 Utilitarianism with Infinite Time Horizon

Theorem 4 in Section 6 requires $(u_i)_{i \in N}$ to be linearly independent. Below, we state a result related to Theorem 4 without assuming that $(u_i)_{i \in N}$ is linearly independent. This result will show that even when u_i 's are identical, the cutoff for the social discount factor will jump from $\min_i \delta_i^*$ to $\max_i \delta_i^*$ when $T = +\infty$. To state it, we first define utilitarianism.

Definition 6 *The planner is intergenerationally utilitarian if in each period $t \in T$, there exists a sequence of nonnegative numbers $(\omega_t(i, s))_{i \in N, s \geq t}$ such that $0 < \sum_{i=1}^N \sum_{s=t}^T \omega_t(i, s) < \infty$, and*

$$U_t = \sum_{i=1}^N \sum_{s=t}^T \omega_t(i, s) U_{i, s}.$$

The result below shows that if we assume intergenerational utilitarianism rather than intergenerational Pareto, we can extend Theorem 4 to the case without linear-independence assumptions on u_i 's. The reason why we assume intergenerational utilitarianism rather than intergenerational Pareto is that the equivalence between intergenerational utilitarianism and intergenerational Pareto is not yet established.

Proposition 4 *Suppose $T = +\infty$, and each generation- t individual i 's discounting utility function has an instantaneous utility function u_i and a discount function δ_i such that (5) and (6) hold. Let the planner's instantaneous utility function u be an arbitrary strict convex combination of $(u_i)_{i \in N}$. Then,*

1. *For each $\max_i \delta_i^* < \delta < 1$, the planner is intergenerationally utilitarian and strongly non-dictatorial;*
2. *For each $\delta < \max_i \delta_i^*$, the planner is not simultaneously intergenerationally utilitarian and strongly non-dictatorial.*

The proof of this proposition turns out to be identical to the proof of Theorem 4, except that Lemma 2 is not needed here.

Proposition 4 covers the case in which u_i 's are identical. Thus, Proposition 4 says that if $T = +\infty$, the cutoff for the social discount factor again jumps from $\min_i \delta_i^*$ to $\max_i \delta_i^*$, compared to Theorem 1/Corollary 2.

Note that the second part of Proposition 4 is weaker than our previous results. In Proposition 4, if the social discount factor is lower than the highest individual long-run discount factor, then either intergenerationally utilitarian is violated or the planner has ignored some individual from some generation.

However, there is still some discontinuity between Proposition 4 and Theorem 1/Corollary 2. In Theorem 1/Corollary 2, if the social discount factor is lower than the lowest individual long-run discount factor, we know that intergenerational Pareto is violated, which implies

that at least one of the two conditions, intergenerational utilitarianism and the strongly non-dictatorial property, is violated as in Proposition 4.

The intuition for this discontinuity in the second part of the result is the following. For simplicity, suppose u_i 's are the same. Fixing an arbitrarily large but finite T , the planner can always attach small enough utilitarian weights to individuals with high δ_i^* . This way, the planner can keep her social discount factor low. However, if T is infinite, fixing any strictly positive weights, as τ increases to infinity, $\delta_i(\tau)$ of the individual with the highest δ_i^* dominates all the other individuals' discount factors no matter what his weight is. Therefore, the social discount factor cannot be strictly less than $\max_i \delta_i^*$.

Supplement to “Social Discounting and Intergenerational Pareto”

This supplement consists of four parts: (i) a discussion about the choice domain of the main paper, (ii) an alternative interpretation of intergenerational Pareto and its implication on quasi-hyperbolic discounting, (iii) a result with forward and backward individual exponential discounting, and (iv) the robustness of findings in the main paper with respect to several main assumptions. The supplement uses definitions and notations from the main paper.

B Risk Resolution

The main model’s choice domain is $\Delta(X)^T$; that is, in each period, there is a lottery/probability measure over X . In many dynamic economic models with uncertainty, uncertainty resolves over time.²⁰ Below we discuss what may change if we let uncertainty resolve over time, maintaining our assumptions on individuals’ and the planner’s utility functions.

For simplicity, assume that $T = 2$ and $N = 1$. In period 2, the choice object is again a lottery over X . To make a distinction between choice objects in the main paper and in this section, here we call X *outcomes* and period-1 choice objects *dynamic lotteries*. A dynamic lottery is a lottery over $X \times \Delta(X)$. For example, with probability 1/2, a dynamic lottery \tilde{p}_1 yields a period-1 outcome $x \in X$ and a period-2 lottery $q_2 \in \Delta(X)$; with probability 1/2, \tilde{p}_1 yields a period-1 outcome $x' \in X$ and a period-2 lottery $r_2 \in \Delta(X)$.

Now, the set of dynamic lotteries is $\Delta(X \times \Delta(X))$, rather than $\Delta(X)^2$.²¹ However, $\Delta(X)^2$ can be viewed as a subset of $\Delta(X \times \Delta(X))$ that consists of all dynamic lotteries whose period-2 outcomes are independent of period-1 outcomes.

The following simple example shows in what sense in period 1, the planner’s aggregation problem under $\Delta(X \times \Delta(X))$ is the same as under $\Delta(X)^2$. Continue our example of \tilde{p}_1, q_2, r_2

²⁰A recent paper by Piacquadio (2017) has studied social discounting and intergenerational inequality in an environment in which uncertainty resolves over time.

²¹We endow $\Delta(X)$ with the Prohorov metric and $X \times \Delta(X)$ with the product topology. For any metric space Y , let $\Delta(Y)$ denote the set of Borel probability measures on Y .

above. Let q_2 be a lottery that yields $y, y' \in X$ with equal probability. Let r_2 be a degenerate lottery that yields $z \in X$.

Consider the generation-1 individual. A natural way to extend our period-1 individual utility function on $\Delta(X)^2$ to the new domain $\Delta(X \times \Delta(X))$ is as follows:

$$\begin{aligned} V_1(\tilde{p}_1) &= \frac{1}{2}(v(x, 1) + \delta v(q_2, 2)) + \frac{1}{2}(v(x', 1) + \delta v(r_2, 2)) \\ &= \frac{1}{2} \left(v(x, 1) + \delta \left(\frac{1}{2}v(y, 2) + \frac{1}{2}v(y', 2) \right) \right) + \frac{1}{2}(v(x', 1) + \delta v(z, 2)), \end{aligned}$$

in which δ is the individual discount factor and $v(\cdot, \tau)$ is the period- τ individual instantaneous utility function. Note that the above equation can be rewritten as

$$V_1(\tilde{p}_1) = \left(\frac{1}{2}v(x, 1) + \frac{1}{2}v(x', 1) \right) + \delta \left(\frac{1}{4}v(y, 2) + \frac{1}{4}v(y', 2) + \frac{1}{2}v(z, 2) \right);$$

that is, the utility of $\tilde{p}_1 \in \Delta(X \times \Delta(X))$ is equal to the following dynamic lottery: In period 1, the individual consumes a 50-50 lottery between x and x' , and in period 2, he consumes a lottery that yields y with probability 1/4, y' with probability 1/4, and z with probability 1/2.

It is not difficult to see the logic behind this observation. In general, given any $\tilde{p}_1 \in \Delta(X \times \Delta(X))$, we compute the marginal probability distribution of period-1 outcomes and call it $p_1 \in \Delta(X)$, and compute the marginal probability distribution of period-2 outcomes and call it $p_2 \in \Delta(X)$. Then, (p_1, p_2) is a dynamic lottery whose period-2 outcomes are independent of period-1 outcomes. It must be the case that $V_1(\tilde{p}_1) = V_1((p_1, p_2))$, because V_1 is a time-additively separable expected utility function.

Consider the generation-2 individual. Before the dynamic lottery's risk resolves, how does one evaluate the second generation's utility of \tilde{p}_1 ? Arguably,

$$V_2(\tilde{p}_1) = \frac{1}{2} \left(\frac{1}{2}v(y, 2) + \frac{1}{2}v(y', 2) \right) + \frac{1}{2}v(z, 2) \tag{S1}$$

seems to be a reasonable evaluation—with probability $1/2$, the second generation’s utility will be $\frac{1}{2}v(y, 2) + \frac{1}{2}v(y', 2)$, and with probability $1/2$, the second generation’s utility will be $v(z, 2)$. Now, again,

$$V_2(\tilde{p}_1) = V_2((p_1, p_2)) = \frac{1}{4}v(y, 2) + \frac{1}{4}v(y', 2) + \frac{1}{2}v(z, 2).$$

Therefore, \tilde{p}_1 and (p_1, p_2) are equivalent for the planner in period 1. The planner’s period-1 aggregation problem under $\Delta(X \times \Delta(X))$ is the same as under $\Delta(X)^2$ —there is a bijection between time-additively separable expected utility function defined on the domain with and without correlation. As long as the period-1 planner uses the same utilitarian weights to aggregate individual utility functions, the planner’s preference will be the same in both cases.

Move on to period 2. Continue our previous example of \tilde{p}_1 and (p_1, p_2) . With \tilde{p}_1 , the period-2 lottery is either q_2 or r_2 . With (p_1, p_2) , no matter what the first generation consumes, the period-2 lottery is p_2 . Suppose \tilde{p}_1 ’s realization of period-2 lottery is q_2 . Apparently, now there is a difference between \tilde{p}_1 and (p_1, p_2) . However, this difference should not affect the period-2 planner’s aggregation problem. Although the second generation’s (ex post) utility will be different in the two cases (the utility of q_2 versus the utility of p_2), in either case, effectively the second generation’s utility function is defined on $\Delta(X)$, because individuals do not care about past consumption. Therefore, there is again a (trivial) bijection between generation-2 individual utility functions defined on the domain with and without correlation. The planner’s period-2 preference will be identical in both cases as long as she uses the same utilitarian weights for individuals. In this sense, focusing on consumption sequences $\Delta(X)^T$ without modeling how uncertainty resolves over time is without loss of generality. The analysis above can be extended to the case with more periods and more individuals.

One last thing to be noted is that in either the case with correlation or the case without, we only study what the planner’s objective should be if she aggregates individuals’ preferences. This exercise does not require us to consider, for example, feasibility constraints. If

the planner's problem is to maximize some objective under certain constraints, correlation may be important in the feasibility constraints. For example, if there is a technological advancement in the first period, we can anticipate a larger feasible set of consumption in the future. This requires correlation in the constraints.

C An Alternative Interpretation of Intergenerational Pareto and a Result with Quasi-Hyperbolic Discounting

In the literature studying quasi-hyperbolic discounting, economists sometimes ignore the β_i parameter, and use an EDU function with a discount factor δ_i as the welfare criterion of individual i who has a QHDU function. The argument is that because β_i is the cause of time inconsistency, β_i should not enter the welfare criterion. However, there is not much foundation for this practice.

Now, if we interpret the generation- $(t + 1)$ individual i in our model as the future self of the generation- t individual i , Corollary 1 provides some foundation for the use of this welfare criterion.²² Assume that the individual i is the only individual ($N = 1$) and apply Corollary 1. We immediately know that any EDU function with a discount factor that is greater than δ_i is a criterion that is consistent with intergenerational Pareto; that is, if the individual i in every period t agrees that one consumption sequence is better than another, then the (welfare) criterion says that the utility of the former is greater than the latter.

The following result is stronger than Corollary 1. It shows that δ_i is indeed the smallest discount factor such that the corresponding EDU function is consistent with the intergenerationally Pareto property.

²²Recent papers by Drugeon and Wigniolle (2017) and Galperti and Strulovici (2017) introduce similar results as the one we present below.

Proposition 5 *Suppose $T < +\infty$, and each generation- t individual i has a QHDU function with an instantaneous utility function u , $\beta_i \in (0, 1)$, and $\delta_i \in (0, 1)$. Then,*

1. *If $\delta \geq \min_i \delta_i$, the planner is intergenerationally Pareto and strongly non-dictatorial;*
2. *For each $\delta < \min_i \delta_i$, there exists some $T^* > 0$ such that if $T \geq T^*$, the planner is not intergenerationally Pareto.*

Proof. The only-if part follows from Theorem 1. We prove the if part only.

Lemma 5 *Assume that $N = \{i\}$. Suppose $T < +\infty$, and individual i has a QHDU function with parameters $\beta_i \in (0, 1)$, $\delta_i \in (0, 1)$, and u . Then, there exists a cutoff $\delta(T)$ for each T such that the planner is intergenerationally Pareto and strongly non-dictatorial if and only if $\delta > \delta(T)$. In addition, $(\delta(T))_{T=3}^{+\infty}$ is a strictly increasing sequence with a limit δ_i .*

Proof. The planner is intergenerationally Pareto and strongly non-dictatorial if and only if there exists a finite sequence of strictly positive weights $(\omega_t(i, s))_{t \in T, s \geq t}$ such that the following equation holds:

$$\omega_t(i, \tau)u(p_\tau) + \sum_{s=t}^{\tau-1} \omega_{i,t}(s)\beta_i\delta_i^{\tau-s}u(p_\tau) = \delta^{\tau-t}u(p_\tau). \quad (\text{S2})$$

for any $t \in T$ and $\tau \geq t$. We can solve $(\omega_t(i, s))_{t \in T, s \geq t}$ from (S2) as follows:

$$\omega_t(i, t+m) = \begin{cases} 1, & \text{if } m = 0, \\ \delta^m - \frac{\beta_i}{1-\beta_i} \sum_{h=1}^m (1-\beta_i)^h \delta_i^h \delta^{m-h}. & \text{if } 1 \leq m \leq T-t. \end{cases} \quad (\text{S3})$$

Note that $\omega_t(i, t) = 1 > 0$. The planner is intergenerationally Pareto and strongly non-dictatorial if and only if all numbers in $(\omega_t(i, t+m))_{t \in T, 1 \leq m \leq T-t}$ are strictly positive.

We can rewrite the second equation of (S3) as $\omega_t(i, t+m) = F_m(\delta|\beta_i, \delta_i)$, in which F is a degree- m polynomial of a single indeterminate δ with parameters β_i, δ_i . Define the set of

social discount factors that are consistent with intergenerational Pareto by

$$S(\beta_i, \delta_i, T) := \{\delta \in \mathbb{R}_+ : F_m(\delta|\beta_i, \delta_i) > 0 \text{ for any } 1 \leq m \leq T - 1\}.$$

Therefore, the planner's preference is intergenerationally Pareto and strongly non-dictatorial if and only if $\delta \in S(\beta_i, \delta_i, T)$.

We want to show that $S(\beta_i, \delta_i, T)$ is an interval that (strictly) decreases to $[\delta_i, +\infty)$ as T goes to infinity.

First, we prove that there exists a unique root/cutoff $x_m \in (0, \delta_i]$ for $F_m(\delta|\beta_i, \delta_i)$ such that $F_m(x_m|\beta_i, \delta_i) = 0$, $F_m(\delta|\beta_i, \delta_i) < 0$ for $\delta < x_m$, and $F_m(\delta|\beta_i, \delta_i) > 0$ for $\delta > x_m$. We know that $F_m(0|\beta_i, \delta_i) = -(1 - \beta_i)^{m-1}\delta_i^m < 0$, $F_m(\delta_i|\beta_i, \delta_i) = (1 - \beta_i)^m\delta_i^m > 0$, and F_m is continuous. Therefore, the existence of x_m is guaranteed by Bolzano's theorem.

Also note that the function $G_m(\delta|\beta_i, \delta_i) := \delta^{-m}F_m(\delta|\beta_i, \delta_i)$ has the same root as $F_m(\delta|\beta_i, \delta_i)$, and $G_m(\delta|\beta_i, \delta_i)$ is strictly increasing in δ because $\frac{dG_m(\delta)}{d\delta} = \frac{\beta_i}{1-\beta_i} \sum_{k=1}^m k \frac{(1-\beta_i)\delta_i^k}{\delta^{k+1}} > 0$. By Rolle's theorem, there cannot be more than one root. Hence, the uniqueness is proved.

Second, we prove that the cutoff sequence $(x_m)_m$ is increasing and converges to δ_i . Noting that $G_{m+1}(\delta|\beta_i, \delta_i) - G_m(\delta|\beta_i, \delta_i) = -\frac{\beta_i}{1-\beta_i} \left[\frac{(1-\beta_i)\delta_i}{\delta}\right]^{m+1} < 0$, we have $G_{m+1}(x_m|\beta_i, \delta_i) - G_m(x_m|\beta_i, \delta_i) < 0$. By the definition of $(x_m)_m$, $G_m(x_m|\beta_i, \delta_i) = G_{m+1}(x_{m+1}|\beta_i, \delta_i) = 0$. Therefore, $G_{m+1}(x_m|\beta_i, \delta_i) < G_m(x_m|\beta_i, \delta_i) = G_{m+1}(x_{m+1}|\beta_i, \delta_i)$. We also know that $G_m(\delta|\beta_i, \delta_i)$ is increasing. Hence, $x_{m+1} > x_m$. Now that $(x_m)_m$ is bounded and increasing, the convergence follows from the monotone convergence theorem.

The only remaining part is to prove that the limit of cutoff sequence is δ_i . Suppose

$\lim_{m \rightarrow \infty} x_m = x$. Then $x_m < x$ for all $m > 1$. Since $G_m(\delta|\beta_i, \delta_i)$ is strictly increasing, we have

$$\begin{aligned}
& G_m(x_m|\beta_i, \delta_i) < G_m(x|\beta_i, \delta_i) \\
\Leftrightarrow & 0 < 1 - \frac{\beta_i}{1 - \beta_i} \sum_{h=1}^m (1 - \beta_i)^h \delta_i^h x^{-h} \\
\Leftrightarrow & \frac{\beta_i}{1 - \beta_i} \sum_{h=1}^m (1 - \beta_i)^h \delta_i^h x^{-h} < 1 \\
\Leftrightarrow & \sum_{h=1}^m \left[\frac{(1 - \beta_i)\delta_i}{x} \right]^h < \frac{1 - \beta_i}{\beta_i}
\end{aligned} \tag{S4}$$

for any $m > 1$.

Since $\frac{(1-\beta_i)\delta_i}{x} > 0$, $\frac{(1-\beta_i)\delta_i}{x} < 1$; otherwise, $\sum_{h=1}^m \left[\frac{(1-\beta_i)\delta_i}{x} \right]^h$ diverges as m increases. Now, let m in (S4) go to infinity. We have

$$\begin{aligned}
& \sum_{h=1}^{+\infty} \left[\frac{(1 - \beta_i)\delta_i}{x} \right]^h \leq \frac{1 - \beta_i}{\beta_i} \\
\Leftrightarrow & \frac{(1 - \beta_i)\delta_i}{x} \frac{1}{1 - \frac{(1-\beta_i)\delta_i}{x}} \leq \frac{1 - \beta_i}{\beta_i} \\
\Leftrightarrow & \delta_i \leq x.
\end{aligned} \tag{S5}$$

In addition, since $x_m < \delta_i$ for all m , we have $x \leq \delta_i$. Therefore, $x = \delta_i$. ■

Lemma 5 states that for any finite T , in each period t , the planner can aggregate each individual i from the t^{th} generation to the T^{th} generation so that the aggregated utility function is an EDU function with a discount factor that is slightly below δ_i . Then, we can apply the if part of Proposition 2 for N exponential discounting individuals, and obtain a social discount factor $\delta \geq \min_i \delta_i$. ■

When $T = +\infty$, we can assume in Theorem 4 that individuals have QHDU functions and obtain a similar result.

D The Case with Backward Discounting

Suppose there are $T < +\infty$ generations. The result we introduce below shows that if individuals exponentially forward and backward discount consumption, our main results continue to hold.

Before proceeding, let us note that although backward discounting has appeared in Strotz (1955), Caplin and Leahy (2004), and Ray et al. (2017), one important drawback of backward discounting is that it has no revealed-preference foundation. Whenever we observe an individual choosing, the past is sunk. There are no choices (yet) that allow the individual to alter the past. Therefore, we do not know how individuals think about the past from actual choice data. Because the past cannot be changed, individuals make choices only based on what may still be changed; that is, current and future consumption. Moreover, in many widely used models that are not exponential discounting, such as hyperbolic and quasi-hyperbolic discounting models, it is not clear how they should be extended to include backward discounting.

However, in this part, we analyze our aggregation problem with exponential discounting individuals who backward discount. Instead of assuming that $U_{i,t}(\mathbf{p})$ does not depend on past consumption, we assume that the generation- t individual i discounts both past and future by the same discounting factor δ_i .

Definition 7 *The generation- t individual i has an exponential forward and backward discounting utility function if his utility function has the following form:*

$$U_{i,t}(\mathbf{p}) = \sum_{\tau=1}^T \delta_i^{|\tau-t|} u_i(p_\tau), \tag{S6}$$

in which the discount factor $\delta_i \in (0, 1)$, and u_i is the individual i 's instantaneous utility function.

Note that the negative result obviously would continue to hold if we had assumed that

each generation- t individual i 's utility function was

$$U_{i,t}(\mathbf{p}) = \sum_{\tau=1}^T \delta_i^{\tau-t} u_i(p_\tau).$$

In that case, the individual i 's offspring has exactly the same preference as the individual i . This is problematic because the generation-2 individual i will value period-1 consumption even more than his own period-2 consumption.

The result below demonstrates that the assumption that the planner has an exponential discounting utility function and intergenerational Pareto are compatible when individuals exponentially forward and backward discount consumption. The typical negative result in the literature only considers the planner's aggregation problem in period 1. The following result also focus the period-1 aggregation problem to highlight the difference.

Proposition 6 *Suppose $T < +\infty$, and each generation- t individual i has an exponential forward and backward discounting utility function with discount factor δ_i and instantaneous utility function u_i such that $\bar{\delta} := \max_i \delta_i < 1$. Let the planner's instantaneous utility function u be an arbitrary strict convex combination of $(u_i)_{i \in N}$. Then, for each $\delta \in (\bar{\delta}, \bar{\delta}^{-1})$, the planner in period 1 is intergenerationally Pareto and strongly non-dictatorial.*

In particular, if we require the social discount factor δ to be less than 1, then this result has the same implication as our main results.

Proof. To prove the proposition, we consider the one-individual case first.

Lemma 6 *Assume that $N = \{i\}$. Suppose $T < +\infty$, and each generation- t individual i has an exponential forward and backward discounting utility function with discount factor $\delta_i \in (0, 1)$ and instantaneous utility function u . Then, for each $\delta \in (\delta_i, \delta_i^{-1})$, the planner in period 1 is intergenerationally Pareto and strongly non-dictatorial.*

Proof. We want to show that for any $\delta \in (\delta_i, \delta_i^{-1})$, there exists a vector of strictly positive

weights $\vec{\omega} = (\omega(i, 1), \omega(i, 2), \dots, \omega(i, T))$ such that the following equation holds:

$$U_1(\mathbf{p}) = \sum_{\tau=1}^T \delta^{\tau-1} u(p_\tau) = \sum_{s=1}^T \omega(i, s) U_{i,s}(\mathbf{p}). \quad (\text{S7})$$

Plugging in $U_1(\mathbf{p})$ and $U_{i,s}(\mathbf{p})$, equation (S7) becomes

$$\sum_{\tau=1}^T \delta^{\tau-1} u(p_\tau) = \sum_{s=1}^T \omega(i, s) \sum_{\tau=1}^T \delta_i^{|\tau-s|} u(p_\tau) = \sum_{\tau=1}^T \sum_{s=1}^T \omega(i, s) \delta_i^{|s-\tau|} u(p_\tau); \quad (\text{S8})$$

that is, for each $\tau \geq 1$,

$$\delta^{\tau-1} = \sum_{s=1}^T \omega(i, s) \delta_i^{|s-\tau|}. \quad (\text{S9})$$

We can rewrite equation (S9) as follows:

$$A \cdot \vec{\omega} = \vec{\delta}, \quad (\text{S10})$$

in which $\vec{\delta} = (1, \delta, \delta^2, \dots, \delta^{T-1})$ and

$$A = \begin{pmatrix} 1 & \delta_i & \delta_i^2 & \dots & \delta_i^{T-1} \\ \delta_i & 1 & \delta_i & \dots & \delta_i^{T-2} \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ \delta_i^{T-1} & \delta_i^{T-2} & \delta_i^{T-3} & \dots & 1 \end{pmatrix}.$$

Note that since A is invertible. In particular,

$$A^{-1} = \frac{1}{1 - \delta_i^2} \begin{pmatrix} 1 & -\delta_i & 0 & \cdots & \cdots & \cdots & \cdots & 0 \\ -\delta_i & 1 + \delta_i^2 & -\delta_i & 0 & & & & \vdots \\ 0 & -\delta_i & 1 + \delta_i^2 & -\delta_i & \ddots & & & \vdots \\ \vdots & 0 & \ddots & \ddots & \ddots & \ddots & & \vdots \\ \vdots & & \ddots & \ddots & \ddots & \ddots & 0 & \vdots \\ \vdots & & & \ddots & -\delta_i & 1 + \delta_i^2 & -\delta_i & 0 \\ \vdots & & & & 0 & -\delta_i & 1 + \delta_i^2 & -\delta_i \\ 0 & \cdots & \cdots & \cdots & \cdots & 0 & -\delta_i & 1 \end{pmatrix}.$$

We have $\vec{\omega} = A^{-1} \cdot \vec{\delta}$. If we can show that $\vec{\omega} \gg 0$, the lemma is proved. Showing $\vec{\omega} \gg 0$ is equivalent to showing that $\omega(i, 1) = 1 - \delta_i \delta > 0$, $\omega(i, s) = \delta^{s-2}[-\delta_i + (1 + \delta_i^2)\delta - \delta_i \delta^2] > 0$ for $2 \leq s \leq T-1$, and $\omega(i, T) = -\delta_i \delta^{T-2} + \delta^{T-1} > 0$, which can be verified because $\delta \in (\delta_i, \delta_i^{-1})$.

■

Lemma 6 shows that we can aggregate each individual i from the t^{th} generation to the T^{th} generation into an EDU function with any discount factor δ within $(\delta_i, \delta_i^{-1})$.

Now we can prove Proposition 6. For any social discount factor $\delta \in (\bar{\delta}, \bar{\delta}^{-1})$, we can find $(\omega(i, s))_{i \in N, s \geq 1}$ such that

$$\sum_{s=1}^T \omega(i, s) U_{i,s}(\mathbf{p}) = \sum_{\tau=1}^T \delta^{\tau-1} u_i(p_\tau)$$

for each $i \in N$. Consider any strictly positive numbers $(\lambda_i)_{i \in N}$ such that $\sum_{i \in N} \lambda_i = 1$. Together with the weights $(\omega(i, s))_{i \in N, s \geq 1}$ we have found above, the planner's utility function

becomes

$$\begin{aligned}
U_1(\mathbf{p}) &= \sum_{i=1}^N \sum_{s=1}^T \lambda_i \omega_1(i, s) U_{i,s}(\mathbf{p}) = \sum_{i=1}^N \sum_{\tau=1}^T \delta^{\tau-1} \lambda_i u_i(p_\tau) \\
&= \sum_{\tau=t}^T \delta^{\tau-1} \sum_{i=1}^N \lambda_i u_i(p_\tau) = \sum_{\tau=t}^T \delta^{\tau-1} u(p_\tau),
\end{aligned}$$

in which $u(p_\tau) = \sum_{i \in N} \lambda_i u_i(p_\tau)$ is an arbitrary strict convex combination of $(u_i)_{i \in N}$. ■

E Discussion of the Main Assumptions

Our main findings are built upon three assumptions: (i) the assumption on individual preferences, (ii) intergenerational Pareto and the strongly non-dictatorial property, and (iii) the assumption on the planner's preference. In the first assumption, we have assumed that a parent's discount function and instantaneous utility function are inherited by his offspring. This assumption may and may not be realistic. It is helpful to understand how our results depend on it. In the second assumption, intergenerational Pareto only has bite when all individuals from the current and future generations agree. It is useful to understand to what extent intergenerational Pareto can be strengthened. Lastly, in the third assumption, we have required the planner to have an exponential discounting utility function. This assumption imposes restrictions on how the planner can aggregate individual preferences. We examine what results still hold if we drop that assumption.

E.1 Inheriting Discount Functions and Instantaneous Utility Functions from Parents

One maintained assumption on individual preferences is that each generation- t individual i 's discount function δ_i and instantaneous utility function u_i are independent of t . We show in this subsection that this assumption can be removed without changing our main findings. We analyze two cases below. In the first case, for any $i \in N$ and finite t , suppose generation- t

individual i 's discount function is $\delta_{i,t}$ and instantaneous utility function is u_i ; that is, we still assume that individuals' instantaneous utility functions do not depend on time. Fixing each generation- t individual i 's discounting utility function for any $i \in N$ and any natural number t , our result may require us to vary the time horizon T . The result below shows that the we can establish a positive result that is similar to Theorem 2.

Theorem 6 *Suppose $T < +\infty$, and each generation- t individual i 's discounting utility function has an instantaneous utility function u_i and a discount function $\delta_{i,t}$ such that (5) and (6) hold and $(u_i)_{i \in N}$ is linearly independent. Let the planner's instantaneous utility function u be an arbitrary strict convex combination of $(u_i)_{i \in N}$. Then,*

1. *For each $\delta > \max_{i,t} \delta_{i,t}^*$, the planner is intergenerationally Pareto and strongly non-dictatorial;*
2. *For each δ such that for some i, t , $\delta < \delta_{i,t}^*$, there exists some $T^* > 0$ such that if $T \geq T^*$, the planner is not intergenerationally Pareto.*

We prove this theorem as a special case of Theorem 7 below. Theorem 6 shows that social discounting should still be more patient than the most patient individual's long-run discounting when individual discount functions may change across generations. Since generation- t individual i 's discount function is $\delta_{i,t}$ rather than δ_i now, the cutoff for the social discount factor becomes $\max_{i,t} \delta_{i,t}^*$. The way to understand the second part of the theorem is as follows. Regardless of T , suppose the social discount factor δ is below some generation- t individual i 's long-run discount factor. Then, as we increase T , this planner with social discount factor δ will eventually violate intergenerational Pareto.

One may wonder why we still assume that generation- t individual i 's instantaneous utility function does not depend on t . Let us assume that generation- t individual i 's instantaneous utility function is $u_{i,t}$. The example below shows that this assumption will lead to a trivial negative result that has nothing to do with discounting.

Example 1 *Suppose $N = 1$. Let generation-1 individual's instantaneous utility function be u_1 that is linearly independent of generation-2 individual's instantaneous utility function u_2 . Since the planner has an exponential discounting utility function, her instantaneous utility function should never change. In the first period, the planner's instantaneous utility function for period-1 consumption can only be u_1 , because only the generation-1 individual cares about period-1 consumption. The planner's instantaneous utility function for period-2 consumption, however, must depend on both u_1 and u_2 due to the strongly non-dictatorial property, which means that the planner's instantaneous utility function for period-2 consumption must differ from u_1 . Therefore, it is impossible to require the planner to be intergenerationally Pareto and strongly non-dictatorial.*

As can be seen in the example above, it seems inevitable that the planner's instantaneous utility function should depend on time; that is, the planner's instantaneous utility function for period- τ consumption should depend on τ . Indeed, one way to restore the positive result is to allow the planner's instantaneous utility function to be $u(\cdot, \tau)$.

However, there is another way to restore the positive result, which is the second case that we want to analyze. For any $i \in N$ and finite t , suppose generation- t individual i 's discount function is $\delta_{i,t}$ and instantaneous utility function for period- τ consumption is $u_i(\cdot, \tau)$; that is, if the planner's instantaneous utility function for period- τ consumption has to depend on τ , let us make the same assumption for individuals. Note that the individual's instantaneous utility function depends on time now, but in a way that is different from Example 1. The planner's discount function is again exponential.

These assumptions are particularly suitable in our setting. Recall that each individual only lives for one period and he cares about future consumption because of altruism. Imagine that $u_i(\cdot, \tau)$ is generation- τ individual i 's actual consumption utility—that is, the utility that generation- τ individual i derives by consuming rather than from altruism. Now, generation- t

individual i 's utility function is

$$U_{i,t}(\mathbf{p}) = \sum_{\tau=t}^T \delta_i(\tau - t) u_i(p_\tau, \tau),$$

which means that when the generation- t individual i altruistically cares about generation- τ individual i 's consumption, he values the consumption exactly in the same way that generation- τ individual i will value for himself.

Theorem 7 *Suppose $T < +\infty$, and each generation- t individual i 's discounting utility function has instantaneous utility functions $u_i(\cdot, \tau)$'s and a discount function $\delta_{i,t}$ such that (5) and (6) hold and $(u_i(\cdot, \tau))_{i \in N}$ is linearly independent for each $\tau \in T$. Let the planner's instantaneous utility function u be an arbitrary strict convex combination of $(u_i)_{i \in N}$. Then,*

1. *For each $\delta > \max_{i,t} \delta_{i,t}^*$, the planner is intergenerationally Pareto and strongly non-dictatorial;*
2. *For each δ such that for some i, t , $\delta < \delta_{i,t}^*$, there exists some $T^* > 0$ such that if $T \geq T^*$, the planner is not intergenerationally Pareto.*

Proof. Part I This part is quite similar to part I of Theorem 6. Firstly, we prove a lemma for one-household aggregation.

Lemma 7 *Fix any $i \in N$. Suppose $T < +\infty$, and each generation- t individual i 's discounting utility function has instantaneous utility functions $u_i(\cdot, \tau)$ and a discount function $\delta_{i,t}$ such that (5) and (6) hold. Let the planner's instantaneous utility function $(u(\cdot, \tau))_\tau$ be $(u_i(\cdot, \tau))_\tau$. For any $\delta > \max_t \delta_{i,t}^*$, the planner is intergenerationally Pareto and strongly non-dictatorial.*

Proof. We want to show that for any $\delta > \max_{i,t} \delta_{i,t}^*$, there exists a finite sequence of strictly positive numbers $(\omega_t(i, s))_{t \in T, s \geq t}$ such that

$$U_t(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u(p_\tau, \tau) = \sum_{s=t}^T \omega_t(i, s) U_{i,s}(\mathbf{p}).$$

for each $t \in T$. Given any $\delta > \max_t \delta_{i,t}^*$, we can construct $(\omega_t(i, s))_{t \in T, s \geq t}$ according to the following formula recursively:

$$\omega_t(i, s) = \begin{cases} 1, & \text{if } s = t, \\ \sum_{\tau=t}^{s-1} [\delta \cdot \delta_{i,\tau}(s-1-\tau) - \delta_{i,\tau}(s-\tau)] \omega_t(i, \tau), & \text{if } s > t. \end{cases} \quad (\text{S11})$$

Note that by assuming $\delta > \max_t \delta_{i,t}^*$, $\omega_t(i, s) > 0$ for any $s \geq t$ and $t \in T$. Then,

$$\begin{aligned} U_t(\mathbf{p}) &= \sum_{s=t}^T \omega_t(i, s) U_{i,s}(\mathbf{p}) = \sum_{s=t}^T \omega_t(i, s) \sum_{\tau=s}^T \delta_{i,s}(\tau-s) u(p_\tau, \tau) \\ &= \sum_{\tau=t}^T \left(\sum_{s=t}^{\tau} \delta_{i,s}(\tau-s) \omega_t(i, s) \right) u(p_\tau, \tau). \end{aligned}$$

We want to prove that $U_t(p) = \sum_{\tau=t}^T \delta^{\tau-t} u(p_\tau, \tau)$. Clearly for $\tau = t$, $\sum_{s=t}^{\tau} \delta_{i,s}(\tau-s) \omega_t(i, s) = \omega_t(i, t) = 1 = \delta^0$. Suppose for some $\tau \geq t$, we have proven that $\sum_{s=t}^{\tau} \delta_{i,s}(\tau-s) \omega_t(i, s) = \delta^{\tau-t}$.

We want to prove that for $\tau + 1$,

$$\sum_{s=t}^{\tau+1} \delta_{i,s}(\tau+1-s) \omega_t(i, s) = \delta^{\tau-t+1}. \quad (\text{S12})$$

To prove (S12), we only need to notice that according to (S11),

$$\sum_{s=t}^{\tau+1} \delta_{i,s}(\tau+1-s) \omega_t(i, s) = \delta^{\tau-t+1}. \quad (\text{S13})$$

To prove (S13), we only need to notice that according to (S11),

$$\begin{aligned} \sum_{s=t}^{\tau+1} \delta_{i,s}(\tau+1-s) \omega_t(i, s) &= \omega_t(i, \tau+1) + \sum_{s=t}^{\tau} \delta_{i,s}(\tau+1-s) \omega_t(i, s) \\ &= \sum_{s=t}^{\tau} [\delta \delta_{i,s}(\tau-s) - \delta_{i,s}(\tau+1-s)] \omega_t(i, s) + \sum_{s=t}^{\tau} \delta_{i,s}(\tau+1-s) \omega_t(i, s) \\ &= \delta \cdot \sum_{s=t}^{\tau} \delta_{i,s}(\tau-s) \omega_t(i, s) = \delta^{\tau-t+1}. \end{aligned}$$

By induction, we know that $\sum_{s=t}^{\tau} \delta_{i,s}(\tau - s)\omega_t(i, s) = \delta^{\tau-t}$ for all $\tau \geq t$. Now, we know that $U_t(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u_i(p_\tau, \tau)$. ■

Next, for any social discount factor $\delta > \max_i \max_t \delta_{i,t}^*$, we can find $(\omega_{i,t}(s))_{t \in T, i \in N, s \geq t}$ such that

$$\sum_{s=t}^T \omega_{i,t}(s) U_{i,s}(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u_i(p_\tau, \tau)$$

for each $i \in N$. Consider any strictly positive numbers $(\lambda_i)_{i \in N}$ such that $\sum_{i \in N} \lambda_i = 1$. Together with the weights $(\omega_t(i, s))_{t \in T, i \in N, s \geq t}$ we have found above, the planner's utility function becomes

$$\begin{aligned} U_t(\mathbf{p}) &= \sum_{i=1}^N \sum_{s=t}^T \lambda_i \omega_t(i, s) U_{i,s}(\mathbf{p}) = \sum_{i=1}^N \sum_{\tau=t}^T \delta^{\tau-t} \lambda_i u_i(p_\tau) \\ &= \sum_{\tau=t}^T \delta^{\tau-t} \sum_{i=1}^N \lambda_i u_i(p_\tau, \tau) = \sum_{\tau=t}^T \delta^{\tau-t} u(p_\tau, \tau), \end{aligned}$$

in which $u(p_\tau, \tau) = \sum_{i \in N} \lambda_i u_i(p_\tau, \tau)$ can be any strictly convex combination of $(u_i(p_\tau, \tau))_{i \in N}$.

Part II We prove by contradiction. Suppose there exists an intergenerationally Pareto planner with social discount factor $\delta < \delta_{i,t}^*$ for some $i = i^*$ and $t = t^*$. By intergenerational Pareto, for each $t \in T$, there exists a finite sequence of positive numbers $(\omega_t(i, s))_{i \in N, s \geq t}$ such that the following equality holds

$$\delta^{\tau-t} u(p_\tau, \tau) = \sum_{i=1}^N \sum_{s=t}^{\tau} \omega_t(i, s) \delta_{i,s}(\tau - s) u_i(p_\tau, \tau). \quad (\text{S14})$$

for any $\tau \geq t$. When $\tau = t$, the above equation reduces to

$$u(p_\tau, \tau) = \sum_{i=1}^N \omega_\tau(i, \tau) u_i(p_\tau, \tau) \quad (\text{S15})$$

for any $\tau \in T$.

We also know that the planner's instantaneous utility function $u(\cdot, \tau)$ is a strict convex combination of $(u_i(\cdot, \tau))_{i \in N}$; that is, there exist strictly positive numbers $(\lambda_i)_{i \in N}$ such that

$u(\cdot, \tau) = \sum_i \lambda_i u_i(\cdot, \tau)$ for any $\tau \in T$. Since $(u_i(\cdot, \tau))_{i \in N}$ is linearly independent, $\omega_t(i, t) = \lambda_i > 0$, for any i and t . Multiply $\delta^{\tau-t}$ to both sides of equation (S15) and combine it with equation (S14). We obtain

$$\sum_{i=1}^N \omega_\tau(i, \tau) \delta^{\tau-t} u_i(p_\tau, \tau) = \sum_{i=1}^N \sum_{s=t}^{\tau} \omega_t(i, s) \delta_{i,s}(\tau-s) u_i(p_\tau, \tau).$$

Since $(u_i(\cdot, \tau))_{i=1}^N$ is linearly independent, the above equation is equivalent to

$$\omega_\tau(i, \tau) \delta^{\tau-t} u_i(p_\tau, \tau) = \sum_{s=t}^{\tau} \omega_t(i, s) \delta_{i,s}(\tau-s) u_i(p_\tau, \tau)$$

for any $i \in N$, $t \in T$, and $\tau \geq t$.

Let $i = i^*$ and $t = t^*$, and rearrange the above equations. We have

$$\begin{aligned} \delta^{\tau-t^*} &= \frac{\sum_{s=t^*}^{\tau} \omega_{t^*}(i^*, s) \delta_{i^*,s}(\tau-s)}{\omega_\tau(i^*, \tau)} \\ &= \frac{\omega_{t^*}(i^*, t^*) \delta_{i^*,t^*}(\tau-t^*) + \sum_{s=t^*+1}^{\tau} \omega_{t^*}(i^*, s) \delta_{i^*,s}(\tau-s)}{\omega_\tau(i^*, \tau)} \\ &\geq \frac{\lambda_{i^*}^* \cdot \delta_{i^*,t^*}(\tau-t^*)}{\lambda_{i^*}^*} = \delta_{i^*,t^*}(\tau-t^*) \end{aligned} \tag{S16}$$

for $\forall \tau > t^*$. However, we also know that $\delta < \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_{i^*,t^*}(\tau)}$, there exists T^* such that for any $\tau \geq T^*$, $\delta < \sqrt[\tau]{\delta_{i^*,t^*}(\tau)}$, which contradicts (S16). ■

E.2 Strengthening Intergenerational Pareto

The premise of intergenerational Pareto requires the current generation and future generations to reach a consensus. A natural way to strengthen intergenerational Pareto may be to require the planner to prefer one consumption sequence over another if more than a certain fraction of current- and future-generation individuals agree.²³ However, in this case, the way that the planner aggregates individual preferences may be rather different from utilitarian

²³This strengthening can certainly be applied to current-generation Pareto as well.

aggregation.

Therefore, we strengthen intergenerational Pareto in the following simple way without deviating from standard utilitarianism. Suppose $T < +\infty$. Let $I \subset N \times T$ be an arbitrary subset of individuals across generations. Let us weaken the premise of intergenerational Pareto by requiring the planner to prefer a consumption sequence \mathbf{p} to \mathbf{q} whenever individuals in I agree. Intergenerational Pareto and the strongly non-dictatorial property are adapted as follows.

Definition 8 *The planner's preference $(\succsim_t)_{t \in T}$ is I -intergenerationally Pareto if for any consumption sequences $\mathbf{p}, \mathbf{q} \in \Delta(X)^T$, in each period $t \in T$, $\mathbf{p} \succsim_{i,s} \mathbf{q}$ for all $(i, s) \in I$ with $s \geq t$ implies $\mathbf{p} \succsim_t \mathbf{q}$, and $\mathbf{p} \succ_{i,s} \mathbf{q}$ for all $(i, s) \in I$ with $s \geq t$ implies $\mathbf{p} \succ_t \mathbf{q}$.*

Definition 9 *We say that the planner is I -strongly non-dictatorial if for each $t \in T$,*

$$U_t(\mathbf{p}) = f_t(U_{1,t}(\mathbf{p}), \dots, U_{1,T}(\mathbf{p}), U_{2,t}(\mathbf{p}), \dots, U_{2,T}(\mathbf{p}), \dots, U_{N,T}(\mathbf{p}))$$

for some function f_t that is strictly increasing in $U_{i,s}$ for any $(i, s) \in I$.

It is straightforward to show that under I -intergenerational Pareto, the planner's utility function can be written as a weighted sum of the utility functions of individuals in I . Below, we show that under some assumption on I , positive results can still be established after strengthening intergenerational Pareto.

The following example shows why we need the additional assumption. Suppose $N = 2$. Individuals' instantaneous utility functions, u_1 and u_2 , are linearly independent. Suppose $I = \{(2, 1), (1, 2)\}$; that is, the planner will give generation-1 individual 1 and the generation-2 individual 2 zero weights. Then, the somewhat trivial negative result as in Example 1 appears again. To see this, note that in period 1, the planner's instantaneous utility function for period-1 consumption has to be equal to u_2 , because only generation-1 individuals care about period-1 consumption and the generation-1 individual 1 has been ignored. We have assumed

that the planner has an exponential discounting utility function, in which her instantaneous utility function never changes. Now, first, in period 1, the planner's instantaneous utility function for period-2 consumption is a strict convex combination of u_1 and u_2 , which must differ from u_1 ; second, in period 2, following the same logic, the planner's instantaneous utility function for period-2 consumption has to be equal to u_1 , which is again different from u_1 . Therefore, it is hopeless to derive any positive result.

The theorem below imposes a simple assumption to avoid the example above that leads to the negative result, which turns out to be strong enough for us to establish a positive result. For each $t \in T$, let $I_t := \{i \in N : (i, t) \in I\}$ be the set of generation- t individuals who may not be ignored by the planner, and let $\mathcal{I} := \bigcup_{t \in T} I_t$.

Theorem 8 *Suppose $T < +\infty$, $I \subset N \times T$, and each generation- t individual i 's discounting utility function has an instantaneous utility function $u_i \in \{u^\theta\}_{\theta=1}^\Theta$ for some linearly independent Θ -tuple of instantaneous utility functions $(u^\theta)_{\theta=1}^\Theta$, and has a discount function δ_i such that (5) and (6) hold. Assume that $\text{co}(\{u_i\}_{i \in I_t})$ remains constant across t . Let the planner's instantaneous utility function u be a strict convex combination of $(u_i)_{i \in I_t}$. Then,*

1. *For each $\delta > \max_{\mathcal{I}} \delta_i^*$, the planner is I -intergenerationally Pareto and I -strongly non-dictatorial;*
2. *For each $\delta < \min_{\mathcal{I}} \delta_i^*$, there exists some $T^* > 0$ such that if $T \geq T^*$, the planner is not I -intergenerationally Pareto.*

Proof. Part I For each $\theta \in \Theta$, let $I^\theta := \{i \in N : u_i = u^\theta\}$ be a family, which is a set of i 's whose instantaneous utility function is u^θ . For each $i \in N$, let $\theta(i)$ be the number that satisfies $u^{\theta(i)} = u_i$. For each $\theta \in \Theta$ and $t \in T$, let $I_t^\theta := \{i \in I^\theta : (i, t) \in I\}$ be the set of generation- t individuals who may not be ignored by the planner and have the instantaneous utility function u^θ , and let $\mathcal{I}^\theta := \bigcup_{t \in T} I_t^\theta$.

We prove this part in four steps. First, we aggregate individuals in each I_t^θ into a new "mega-family" θ . Each generation- t mega-family θ has instantaneous utility function $u^\theta(\cdot)$

and the following discount function

$$\delta_t^\theta(\tau) = \frac{1}{|I_t^\theta|} \sum_{i \in I_t^\theta} \delta_i(\tau);$$

that is, if a generation- t individual i may not be ignored by the planner, then her discount function $\delta_i(\cdot)$ enters the mega-family θ 's generation- t discount function $\delta_t^\theta(\cdot)$ with an equal weight as other generation- t individual(s) in I_t^θ . Note that the generation- t mega-family's discount function may change as t changes.

Next, we prove a lemma on single mega-family aggregation which is similar to Lemma 7.

Lemma 8 *Fix a $\theta \in \Theta$ and assume that individuals whose instantaneous utility function is not u^θ do not exist. Suppose $T < +\infty$, and each generation- t mega-family θ 's discounting utility function has an instantaneous utility function $u^\theta(\cdot)$ and a discount function $\delta_t^\theta(\cdot)$. Let the planner's instantaneous utility function be $u^\theta(\cdot)$. For any $\delta > \max_{i \in \mathcal{I}^\theta} \delta_i^*$, the planner is intergenerationally Pareto and strongly non-dictatorial.*

Proof. We want to show that for any $\delta > \max_{i \in \mathcal{I}^\theta} \delta_i^*$, there exists a finite sequence of strictly positive numbers $(\omega_t^\theta(s))_{t \in T, s \geq t}$ such that

$$U_t(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u^\theta(p_\tau) = \sum_{s=t}^T \omega_t^\theta(s) U_s^\theta(\mathbf{p}).$$

for each $t \in T$. Given any $\delta > \max_{i \in \mathcal{I}^\theta} \delta_i^*$, we can construct $(\omega_t^\theta(s))_{t \in T, s \geq t}$ according to the following formula recursively:

$$\omega_t^\theta(s) = \begin{cases} 1, & \text{if } s = t, \\ \sum_{\tau=t}^{s-1} [\delta \cdot \delta_\tau^\theta(s-1-\tau) - \delta_\tau^\theta(s-\tau)] \omega_t^\theta(\tau), & \text{if } s > t. \end{cases} \quad (\text{S17})$$

Note that if $\delta > \max_t \max_\tau \frac{\delta_t^\theta(\tau+1)}{\delta_t^\theta(\tau)}$, then $\omega_t^\theta(s) > 0$ for any $s \geq t$ and $t \in T$. We also

know that

$$\begin{aligned} \frac{\delta_t^\theta(\tau+1)}{\delta_t^\theta(\tau)} &= \frac{\sum_{i \in I_t^\theta} \delta_i(\tau+1)}{\sum_{i \in I_t^\theta} \delta_i(\tau)} = \frac{\sum_{i \in I_t^\theta} \delta_i(\tau) \frac{\delta_i(\tau+1)}{\delta_i(\tau)}}{\sum_{i \in I_t^\theta} \delta_i(\tau)} \\ &\leq \frac{\sum_{i \in I_t^\theta} \delta_i(\tau) \max_{i \in I_t^\theta} \frac{\delta_i(\tau+1)}{\delta_i(\tau)}}{\sum_{i \in I_t^\theta} \delta_i(\tau)} \leq \max_{i \in I_t^\theta} \frac{\delta_i(\tau+1)}{\delta_i(\tau)} \leq \max_{i \in I_t^\theta} \delta_i^* \leq \max_{i \in \mathcal{I}^\theta} \delta_i^*. \end{aligned}$$

Therefore, $\max_t \max_\tau \frac{\delta_t^\theta(\tau+1)}{\delta_t^\theta(\tau)} \leq \max_{i \in \mathcal{I}^\theta} \delta_i^*$. Hence, by assuming $\delta > \max_{i \in \mathcal{I}^\theta} \delta_i^*$, $\omega_t^\theta(s) > 0$ for any $s \geq t$ and $t \in T$. The rest of the proof is the same as in Lemma 7. ■

Thus, for any social discount factor $\delta > \max_{\theta \in \Theta} \max_{i \in \mathcal{I}^\theta} \delta_i^*$, we can find $(\omega_t^\theta(s))_{t \in T, \theta \in \Theta, s \geq t}$ such that

$$\sum_{s=t}^T \omega_t^\theta(s) U_s^\theta(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u^\theta(p_\tau)$$

for each $\theta \in \Theta$. Consider any strictly positive numbers $(\lambda^\theta)_{\theta=1}^\Theta$ such that $\sum_{\theta=1}^\Theta \lambda^\theta = 1$. Together with the weights $(\omega_t^\theta(s))_{t \in T, \theta \in \Theta, s \geq t}$ we have found above, the planner's utility function becomes

$$\begin{aligned} U_t(\mathbf{p}) &= \sum_{\theta \in \Theta} \sum_{s=t}^T \lambda^\theta \omega_t^\theta(s) U_s^\theta(\mathbf{p}) = \sum_{\theta \in \Theta} \sum_{\tau=t}^T \lambda^\theta \delta^{\tau-t} u^\theta(p_\tau) \\ &= \sum_{\tau=t}^T \delta^{\tau-t} \sum_{\theta \in \Theta} \lambda^\theta u^\theta(p_\tau) = \sum_{\tau=t}^T \delta^{\tau-t} u(p_\tau), \end{aligned} \tag{S18}$$

in which $u(p_\tau) = \sum_{\theta \in \Theta} \lambda^\theta u^\theta(p_\tau)$ can be any strictly convex combination of $(u^\theta)_{\theta \in \Theta}$.

Lastly, we back out the set of weights $(\omega_t(i, s))_{t \in T, i \in N, s \geq t}$ and show that the planner has an exponential discounting expected utility function, is I -intergenerationally Pareto, and is I -strongly non-dictatorial under these weights. We construct $(\omega_t(i, s))_{t \in T, i \in N, s \geq t}$ according to the following formula:

$$\omega_t(i, s) = \begin{cases} 0, & \text{if } (i, s) \notin I, \\ \lambda^\theta \frac{1}{|I_s^\theta|} \omega_t^\theta(s) > 0, & \text{if } (i, s) \in I. \end{cases}$$

Then,

$$\begin{aligned}
\sum_{s=t}^T \sum_{i=1}^N \omega_t(i, s) U_{i,s}(\mathbf{p}) &= \sum_{s=t}^T \sum_{i=1}^N \omega_t(i, s) \sum_{\tau=s}^T \delta_i(\tau - s) u_i(p_\tau) \\
&= \sum_{s=t}^T \sum_{\theta \in \Theta} \sum_{i \in I_s^\theta} \lambda^\theta \frac{1}{|I_s^\theta|} \omega_t^\theta(s) \sum_{\tau=s}^T \delta_i(\tau - s) u_i(p_\tau) \\
&= \sum_{s=t}^T \sum_{\theta \in \Theta} \lambda^\theta \omega_t^\theta(s) \sum_{\tau=s}^T \sum_{i \in I_s^\theta} \frac{1}{|I_s^\theta|} \delta_i(\tau - s) u_i(p_\tau) \\
&= \sum_{s=t}^T \sum_{\theta \in \Theta} \lambda^\theta \omega_t^\theta(s) \sum_{\tau=s}^T \delta_s^\theta(\tau - s) u^\theta(p_\tau) \\
&= \sum_{s=t}^T \sum_{\theta \in \Theta} \lambda^\theta \omega_t^\theta(s) U_s^\theta(\mathbf{p}) = U_t(\mathbf{p}) = \sum_{\tau=t}^T \delta^{\tau-t} u(p_\tau).
\end{aligned}$$

The first equality follows from the definition of $U_{i,s}$. The second equality follows the construction of $(\omega_t(i, s))_{t \in T, i \in N, s \geq t}$. The fourth equality follows the construction of $\delta_s^\theta(\cdot)$, The fifth equality follows from the definition of U_s^θ . The last two equalities follow equation (S18).

Part II We prove by contradiction. Suppose there exists an I -intergenerationally Pareto planner with social discount factor $\delta < \min_{i \in \mathcal{I}} \delta_i^*$. By I -intergenerationally Pareto, there exists a finite sequence of positive weights $(\omega_t(i, s))_{t \in T, i \in N, s \geq t}$ such that the following equality holds:

$$\delta^{\tau-t} u(p_\tau) = \sum_{s=t}^{\tau} \sum_{i \in I_s} \omega_t(i, s) \delta_i(\tau - s) u_i(p_\tau) \tag{S19}$$

for each $t \in T$ and $\tau \geq t$. Combining equation (S19) with the normalization assumption,

$$\delta^{\tau-t} = \sum_{s=t}^{\tau} \sum_{i \in I_s} \omega_t(i, s) \delta_i(\tau - s) \geq \sum_{i \in I_t} \omega_t(i, s) \delta_i(\tau - s) \tag{S20}$$

for each $t \in T$ and $\tau \geq t$.

Without loss of generality, we assume $\delta_{i^*}^* = \min_{i \in \mathcal{I}} \delta_i^*$. The following two claims must hold:

1. $i^* \in \mathcal{I}$; that is, there exists $t^* \in T$ such that $i^* \in I_{t^*}$;

2. there exists T_1 such that for any $\tau \geq \max\{T_1, t^*\}$, $\delta_{i^*}(\tau - t^*) \leq \delta_i(\tau - t^*)$ for any $i \in \mathcal{I}$.

Consider the period- t^* planner. Let $t = t^*$ in equation (S20), and suppose $\tau \geq \max\{T_1, t^*\}$.

We have

$$\begin{aligned} \delta^{\tau-t^*} &= \sum_{s=t^*}^{\tau} \sum_{i \in I_s} \omega_{t^*}(i, s) \delta_i(\tau - s) \geq \sum_{i \in I_{t^*}^*} \omega_{t^*}(i, t^*) \delta_i(\tau - t^*) \\ &\geq \sum_{i \in I_{t^*}^*} \omega_{t^*}(i, t^*) \delta_{i^*}(\tau - t^*) \geq \delta_{i^*}(\tau - t^*) \end{aligned}$$

However, we know that $\delta < \delta_{i^*}^*$. Then, there exists T_2 such that for any $\tau \geq T_2$, $\delta < \sqrt[\tau]{\delta_{i^*}^*}$.

Therefore, if $T \geq \max\{T_1, T_2, t^*\}$, there must be a contradiction. ■

This theorem seems different from our previous results that only have one cutoff for the social discount factor, but in fact it has a one-cutoff version that is similar to our previous positive results. However, the expression of the cutoff will become rather complicated.²⁴ The current version is easier to understand, and clearly shows that if the social discount factor is higher than the highest long-run discount factor among individuals who are not ignored in some generation, then again we know that the planner is intergenerationally Pareto and strongly non-dictatorial. Again, this is not the only way to establish positive results. If the planner's instantaneous utility function is allowed to vary in a general way by taking the form of $u_t(\cdot, \tau)$, then the additional assumption we need can be weaker.

E.3 Utilitarianism and Long-Run Social Discounting

The main question of this paper is that if a planner has an exponential discounting utility function, under what conditions she is intergenerationally Pareto and strongly non-dictatorial. The fact that an intergenerationally Pareto planner has an exponential discounting utility function certainly imposes restrictions on how the planner may aggregate individual preferences. On the one hand, economists often assume that a planner has an exponential discounting utility function, and there are many reasons to believe why this is

²⁴The cutoff for the social discount factor in the one-cutoff version should take the maximum across types and periods, and then for each type in each period, take the minimum individual long-run discount factor across all individuals who have the desired type and are not ignored in that period.

normatively appealing. Therefore, understanding the answer to our main question is important.

On the other hand, there are other ways to examine the planner’s aggregation problem. For example, sometimes economists may believe that the planner’s utility function should be equal to the simple average of individuals’ discounting utility functions. Because it is unlikely that the planner’s discount function is exponential in this case, a choice on what to assume for the planner has to be made. A natural question is that if now we want to allow the planner to aggregate individual preferences in a flexible way—we only require the planner to be intergenerationally Pareto and strongly non-dictatorial and do not require her utility function to be an exponential discounting utility function—what insight from our main findings remains true? The following result shows that under this different requirement, the planner’s “discount factor” should still be higher than the most patient individual’s long-run discount factor.

Theorem 9 *Suppose $T = +\infty$, and each generation- t individual i ’s discounting utility function has an instantaneous utility function u_i and a discount function δ_i such that (5) and (6) hold. Let $(\omega_t(i, s))_{i \in N, s \geq t}$ be a sequence of absolutely summable real numbers for each $t \in T$ such that in each period t , (i) the planner’s utility function is $U_t = \sum_{i=1}^N \sum_{s=t}^{\infty} \omega_t(i, s)U_{i,s} = \sum_{\tau=t}^{\infty} \delta_t(\tau - t)u_t(p_\tau, \tau)$ for some discount functions δ_t and (normalized) instantaneous utility functions $u_t(\cdot, \tau)$ ’s and (ii) the planner’s long-run discount factor $\delta_t^* = \lim_{\tau \rightarrow \infty} \frac{\delta_t(\tau+1)}{\delta_t(\tau)} = \lim_{\tau \rightarrow \infty} \sqrt[\tau]{\delta_t(\tau)}$ exists. If the planner is intergenerationally Pareto and strongly non-dictatorial, then $\delta_t^* \geq \max_i \delta_i^*$.*

Proof. Since $U_t = \sum_{i=1}^N \sum_{s=t}^{\infty} \omega_t(i, s)U_{i,s}$, we know that

$$\delta_t(\tau - t)u_t(p_\tau, \tau) = \sum_{i=1}^N \sum_{s=t}^{\tau} \omega_t(i, s)\delta_i(\tau - s)u_i(p_\tau) \quad (\text{S21})$$

for any $t \in T$ and $\tau \geq t$. Let $p_\tau = x^*$ in equation (S21). We have

$$\delta_t(\tau - t) = \sum_{i=1}^N \sum_{s=t}^{\tau} \omega_t(i, s) \delta_i(\tau - s) \geq \sum \omega_t(i, t) \delta_i(\tau - t) \geq \omega_t(i^*, t) \delta_{i^*}(\tau - t), \quad (\text{S22})$$

in which $i^* := \arg \max_i \delta_i^*$. Let τ in (S22) go to infinity. We have $\delta_t^* \geq \max_i \delta_i^*$. ■

Thus, if the planner is intergenerationally Pareto and strongly non-dictatorial, then her long-run discount factor should again be higher than the most patient individual's long-run discount factor.